

SUBJECT INDEX

VOLUME 41

A

Abrasion Testing.

Concrete and Concrete Aggregates. Report of Committee C-9, 286.

Road and Paving Materials. Report of Committee D-4, 365.

Accelerated Testing.

See **Abrasion Testing; Corrosion: Weathering.**

Acidity.

See **Neutralization.**

A. C. Permeability.

Measurement of Core Loss and A. C. Permeability with the 25-cm. Epstein Frame—S. L. Burgwin, 779. Discussion, 796.

Adhesive Tape.

A Method for the Testing of Adhesive Tape—William C. Geer and W. Burton Wescott, 1217.

Admiralty Metal.

Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 172.

Aggregates.

See also **Stone.**

Concrete and Concrete Aggregates. Report of Committee C-9, 286.

The Effect of Fine Aggregate on the Durability of Mortars—C. A. Hughes and Kenneth A. Andersen, 987.

Air Permeability.

A Study of the Grindability of Coal and the Fineness of Pulverized Coal when Using the Lea-Nurse Air Permeability Method for Evaluating the Subsieve Fractions—J. B. Romer, 1152. Discussion, 1167.

Alkalinity.

See **Neutralization.**

Alloys, Non-Ferrous.

See also **Aluminum; Brass; Bronze; Copper; Electrical-Resistance and Heating Alloys; Magnesium; Zinc.**

Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 172.

Chemical Analysis of Metals. Report of Committee E-3, 500.

Copper and Copper-Alloy Wires for Electrical Conductors. Report of Committee B-1, 159.

Copper and Copper Alloys, Cast and Wrought. Report of Committee B-5, 182.

Corrosion of Non-Ferrous Metals and Alloys. Report of Committee B-3, 169.

Die-Cast Metals and Alloys. Report of Committee B-6, 199.

The Divider Method in Tension Testing of Magnesium-Base Alloys, H. W. Schmidt. Report of Committee B-7, Appendix III, 219.

Effect of Temperature on the Properties of Metals. Report of Joint Research Committee, 154.

Electrical-Heating, Electrical-Resistance, and Electric-Furnace Alloys. Report of Committee B-4, 177.

Electrodeposited Metallic Coatings. Report of Committee B-8, 222.

Fatigue Tests on Some Copper Alloys—A. R. Anderson and Cyril Stanley Smith, 849. Discussion, 858.

A High Strength Aluminum Sand Casting Alloy not Requiring Solution Treatment and Quench. Report of Committee B-7, Appendix II, 216.

Light Metals and Alloys, Cast and Wrought. Report of Committee B-7, 203.

SUBJECT INDEX

VOLUME 41

A

Abrasion Testing.

Concrete and Concrete Aggregates. Report of Committee C-9, 286.

Road and Paving Materials. Report of Committee D-4, 365.

Accelerated Testing.

See **Abrasion Testing; Corrosion: Weathering.**

Acidity.

See **Neutralization.**

A. C. Permeability.

Measurement of Core Loss and A. C. Permeability with the 25-cm. Epstein Frame—S. L. Burgwin, 779. Discussion, 796.

Adhesive Tape.

A Method for the Testing of Adhesive Tape—William C. Geer and W. Burton Wescott, 1217.

Admiralty Metal.

Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 172.

Aggregates.

See also **Stone.**

Concrete and Concrete Aggregates. Report of Committee C-9, 286.

The Effect of Fine Aggregate on the Durability of Mortars—C. A. Hughes and Kenneth A. Andersen, 987.

Air Permeability.

A Study of the Grindability of Coal and the Fineness of Pulverized Coal when Using the Lea-Nurse Air Permeability Method for Evaluating the Subsieve Fractions—J. B. Romer, 1152. Discussion, 1167.

Alkalinity.

See **Neutralization.**

Alloys, Non-Ferrous.

See also **Aluminum; Brass; Bronze; Copper; Electrical-Resistance and Heating Alloys; Magnesium; Zinc.**

Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 172.

Chemical Analysis of Metals. Report of Committee E-3, 500.

Copper and Copper-Alloy Wires for Electrical Conductors. Report of Committee B-1, 159.

Copper and Copper Alloys, Cast and Wrought. Report of Committee B-5, 182.

Corrosion of Non-Ferrous Metals and Alloys. Report of Committee B-3, 169.

Die-Cast Metals and Alloys. Report of Committee B-6, 199.

The Divider Method in Tension Testing of Magnesium-Base Alloys, H. W. Schmidt. Report of Committee B-7, Appendix III, 219.

Effect of Temperature on the Properties of Metals. Report of Joint Research Committee, 154.

Electrical-Heating, Electrical-Resistance, and Electric-Furnace Alloys. Report of Committee B-4, 177.

Electrodeposited Metallic Coatings. Report of Committee B-8, 222.

Fatigue Tests on Some Copper Alloys—A. R. Anderson and Cyril Stanley Smith, 849. Discussion, 858.

A High Strength Aluminum Sand Casting Alloy not Requiring Solution Treatment and Quench. Report of Committee B-7, Appendix II, 216.

Light Metals and Alloys, Cast and Wrought. Report of Committee B-7, 203.

Mercury Cracking Test, Procedure and Control—H. Rosenthal and A. L. Jamieson, 897. Discussion, 927.

Metallography. Report of Committee E-4, 502.

Non-Ferrous Metals and Alloys. Report of Committee B-2, 165.

The Properties of Certain Lead-Bearing Alloys—Albert J. Phillips, Albert A. Smith, Jr., and Paul A. Beck, 886. Discussion 894.

Proposed Revisions in Standards for Light Metals and Alloys, Cast and Wrought. Report of Committee B-7, Appendix I, 208.

The Sampling of Steam and Boiler Water—A. R. Belyea and A. H. Moody, 1264. Discussion, 1274.

Spectrographic Analysis. Report of Committee E-2, 498.

The Tensile Properties of Some Copper Alloys—Cyril Stanley Smith and R. W. Van Wagner, 825. Discussion, 846.

Alloy Steel.

See also **Corrosion-Resisting Alloy Steels; Steel.**

Addition of Bismuth for Producing Free-Machining Stainless Steels—H. Pray, R. S. Peoples, and F. W. Fink, 646. Discussion, 656.

Compression and Tension Tests of Structural Alloys—Bruce Johnston and Francis Opila, 552. Discussion, 571.

The Effect of Carbide Spheroidization upon the Creep Strength of Carbon-Molybdenum Steel—S. H. Weaver, 608. Discussion, 628.

Effect of Temperature on the Properties of Metals. Report of Joint Research Committee, 154.

The Effect of Type of Testing Machine on Fatigue Test Results. Report of the Research Committee on Fatigue of Metals, Appendix, 133. Discussion, 151.

Iron-Chromium, Iron-Chromium-Nickel and Related Alloys. Report of Committee A-10, 128.

Magnetic Properties. Report of Committee A-6, 124.

Pitting and Its Effect on the Fatigue Limit of Steels Corroded Under Various Conditions—D. J. McAdam, Jr., and G. W. Geil, 696. Discussion, 732.

The Sampling of Steam and Boiler Water—A. R. Belyea and A. H. Moody, 1264. Discussion, 1274.

The Stress-Strain Characteristics of Cold-Rolled Austenitic Stainless Steels in Compression as Determined by the Cylinder Test Method—Russell Franks and W. O. Binder, 629.

Young's Modulus of Elasticity and Some Related Properties of Graphitic Materials—H. A. Schwartz and C. H. Junge, 816. Discussion, 824.

Aluminum.

Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 172.

Compression and Tension Tests of Structural Alloys—Bruce Johnston and Francis Opila, 552. Discussion, 571.

Die-Cast Metals and Alloys. Report of Committee B-6, 199.

Effect of Rate of Strain on Yield Strength, Tensile Strength, Elongation, and Reduction of Area in Tension Tests, P. G. Jones and H. F. Moore. Report of Committee E-1, Appendix II, 488.

The Effect of Type of Testing Machine on Fatigue Test Results. Report of the Research Committee on Fatigue of Metals, Appendix, 133. Discussion, 151.

Finishes for Aluminum Die Castings—A. E. Keskulla and Junius D. Edwards, 931.

A High Strength Aluminum Sand Casting Alloy Not Requiring Solution Treatment and Quench. Report of Committee B-7, Appendix II, 216.

Light Metals and Alloys, Cast and Wrought. Report of Committee B-7, 203.

Mobilizing Materials for Defense—John H. Van Deventer. Published in ASTM BULLETIN, No. 111, August, 1941, p. 19.

Proposed Revisions in Standards for Light Metals and Alloys, Cast and Wrought. Report of Committee B-7, Appendix I, 208.

The Sampling of Steam and Boiler Water—A. R. Belyea and A. H. Moody, 1264. Discussion, 1274.

Ammonia.

The Degasification of Steam Samples for Conductivity Tests—P. B. Place, 1302. Discussion, 1313.

Ammonia (Continued):

- Experimental Methods for Determining Conductivity Corrections for Dissolved Gases in Steam Condensate—S. F. Whirl and W. A. Lower, 1277. Discussion, 1296.

Analytical Chemistry.

See **Chemical Analysis; Spectrographic Analysis.**

(Methods of analyses, testing, etc., are also indexed under the materials and subjects covered by them.)

Annapolis Exposure Tests.

Record of failures in atmospheric tests at Annapolis of No. 22-gage copper-bearing and non-copper-bearing corrugated black sheets, Report of Committee A-5, 98.

Annual Meeting.

Summary of Proceedings of the Forty-fourth Annual Meeting, 1.

Anodic Coatings.

Light Metals and Alloys, Cast and Wrought. Report of Committee B-7, 203.

Anthracite.

See **Coal.**

Antimony.

Comparative Value of Arsenic, Antimony, and Phosphorus in Preventing Dezincification—W. Lynes, 859. Discussion, 880.

Mobilizing Materials for Defense—John H. Van Deventer. Published in ASTM BULLETIN, No. 111, August, 1941, p. 19.

Apparatus.

See **Testing Apparatus.**

Arsenic.

Comparative Value of Arsenic, Antimony, and Phosphorus in Preventing Dezincification—W. Lynes, 859. Discussion, 880.

Asbestos.

Textile Materials. Report of Committee D-13, 440.

Asphalt.

Bituminous Waterproofing and Roofing Materials. Report of Committee D-8, 379.

Fundamental Significance of Oliensis Spot Test—Quantitative Tests for Homogeneity—G. L. Oliensis, 1108. Discussion, 1123.

The Influence of Recovery Temperature on the Ductility of the Recovered Asphalt—Carl Bussow, 1131.

Road and Paving Materials. Report of Committee D-4, 365.

Atmospheric Exposure.

See **Corrosion; Weathering.**

Automotive Rubber.

See **Rubber Products.**

Aviation Gasoline.

See **Gasoline.**

Axles.

Fatigue Comparison of 7-in. Diameter Solid and Tubular Axles—O. J. Horger and T. V. Buckwalter, 682. Discussion, 694.

B**Barbed Wire.**

Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 101.

Beams.

Statistical Theory of the Effect of Dimensions and of Method of Loading upon the Modulus of Rupture of Beams—John Tucker, Jr., 1072. Discussion, 1089.

Tests of Glued Laminated Wood Beams Impregnated with Creosote—William A. Oliver, 1198. Discussion, 1212.

Bearing Alloys.

The Properties of Certain Lead-Bearing Alloys—Albert J. Phillips, Albert A. Smith, Jr., and Paul A. Beck, 886. Discussion, 894.

Bismuth.

Addition of Bismuth for Producing Free-Machining Stainless Steels—H. Pray, R. S. Peoples, and F. W. Fink, 646. Discussion, 656.

Bituminous Coal.

See **Coal.**

Bituminous Materials.

See **Asphalt; Petroleum Products; Roofing Materials; Waterproofing Materials.**

Bleeding.

- Performance Specifications for Greases—Robert C. Adams and Harrison E. Patten, 1095. Discussion, 1105.
- Properties of Limes and Lime Mortars—Howard R. Staley, 975. Discussion, 986.

Block.

- Thermal Insulating Materials. Report of Committee C-16, 305.

Boiler Feedwater.

- Boiler Feedwater Studies. Report of Joint Research Committee. Published in ASTM BULLETIN, No. 111, August, 1941, p. 56.
- Symposium on Problems and Practice in Determining Steam Purity by Conductivity Methods:
- Introduction—R. E. Hall, 1261.
- The Sampling of Steam and Boiler Water—A. R. Belyea and A. H. Moody, 1264. Discussion, 1274.
- Experimental Methods for Determining Conductivity Corrections for Dissolved Gases in Steam Condensate—S. F. Whirl and W. A. Lower, 1277. Discussion, 1296.
- Calculation of Corrections to Conductivity Measurements for Dissolved Gases—D. S. McKinney, 1285. Discussion, 1296.
- The Degasification of Steam Samples for Conductivity Tests—P. B. Place, 1302. Discussion, 1313.
- A New Type of Conductivity Apparatus for Use with Boiler Waters and Steam Samples—A. R. Mumford, 1314. Discussion, 1337.
- Conductivity Cells and Electrical Measuring Instruments—C. E. Kaufman, 1326. Discussion, 1337.
- Combined Bibliography, 1338.
- Water for Industrial Uses. Report of Committee D-19, 469.

Bomb Test.

- Proposed Method of Test for Potential Gum in Aviation Gasoline. Report of Committee D-2, Appendix IV, 351.
- Proposed Methods of Test for Sludge Formation in Mineral Transformer Oil. Report of Committee D-9, Appendix III, 413.

Bottle Closures.

- Method for Testing Odor-Taste Contamination Tendencies of Phenolic Plastic Closures—A. Herman. Published in ASTM BULLETIN, No. 111, August, 1941, p. 33.

Boxes.

- Paper and Paper Products. Report of Committee D-6, 375.
- Shipping Containers. Report of Committee D-10, 421.

Brass.

- See also **Copper**.
- Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 172.
- Comparative Value of Arsenic, Antimony, and Phosphorus in Preventing Dezincification—W. Lynes, 859. Discussion, 880.
- Copper and Copper Alloys, Cast and Wrought. Report of Committee B-5, 182.
- Effect of Rate of Strain on Yield Strength, Tensile Strength, Elongation, and Reduction of Area in Tension Tests, P. G. Jones and H. F. Moore. Report of Committee E-1, Appendix II, 488.
- Fatigue Tests on Some Copper Alloys—A. R. Anderson and Cyril Stanley Smith, 849. Discussion, 858.
- Influence of External Stresses on Tendency of Brass Wires to Stress-Corrosion Crack, as Indicated by the Mercurous Nitrate Test—Harry P. Croft, 905. Discussion, 927.
- The Tensile Properties of Some Copper Alloys—Cyril Stanley Smith and R. W. Van Wagner, 825. Discussion, 846.

Brick.

- Effect of Freezing Temperature in Freezing-and-Thawing Tests of Brick—Joseph C. Richmond and John W. McBurney, 967.
- Manufactured Masonry Units. Report of Committee C-15, 302.
- Refractories. Report of Committee C-8, 280.

Brinell Hardness.

- See **Hardness Testing**.

Bronze.

- See also **Copper**.
- Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 172.

Bronze (Continued):

Copper and Copper Alloys, Cast and Wrought.
Report of Committee B-5, 182.

Fatigue Tests on Some Copper Alloys—A.
R. Anderson and Cyril Stanley Smith,
849. Discussion, 858.

The Tensile Properties of Some Copper Al-
loys—Cyril Stanley Smith and R. W. Van
Wagner, 825. Discussion, 846.

Building Brick.

See **Brick**.

Building Stones.

Natural Building Stones. Report of Com-
mittee C-18, 308.

Building Tile.

See **Tile**.

C**Cable.**

Copper and Copper-Alloy Wires for Elec-
trical Conductors. Report of Committee
B-1, 159.

Cadmium.

Mobilizing Materials for Defense—John H.
Van Deventer. Published in ASTM
BULLETIN, No. 111, August, 1941, p. 19.

Calcium Sulfate.

See **Gypsum**.

Calibration, Methods of.

Methods of Testing Volumetric Glassware,
J. J. Moran. Report of Committee E-1,
Appendix III, 492.

Capping Methods.

The Effect of Capping Methods and End
Conditions Before Capping upon the Com-
pressive Strength of Concrete Test Cylin-
ders—G. E. Troxell, 1038. Discussion,
1045.

Carbon Dioxide.

The Degasification of Steam Samples for Con-
ductivity Tests—P. B. Place, 1302. Dis-
cussion, 1313.

Experimental Methods for Determining Con-
ductivity Corrections for Dissolved Gases
in Steam Condensate—S. F. Whirl and
W. A. Lower, 1277. Discussion, 1296.

Carbon-Molybdenum Pipe.

The Fabrication of Carbon-Molybdenum
Piping for High-Temperature Service—
R. W. Emerson, 579. Discussion, 605.

Carbon Residue.

Relation between Ramsbottom carbon resi-
due and Conradson carbon residue, Report
of Committee D-2, 333.

Cartridge Cases.

Mercury Cracking Test, Procedure and Con-
trol—H. Rosenthal and A. L. Jamieson,
897. Discussion, 927.

Cast Iron.

Cast Iron. Report of Committee A-3, 85.
Fatigue and Static Load Tests of a High-
Strength Cast Iron at Elevated Tempera-
tures—W. Leighton Collins and James O.
Smith, 797. Discussion, 808.

Microstructure of Cast Iron. Report of
Subcommittee VII, Committee A-3, 90.

The Strain Hardening of Gray Cast Iron—
John Sanford Peck, 811. Discussion, 815.

Young's Modulus of Elasticity and Some
Related Properties of Graphitic Materials
—H. A. Schwartz and C. H. Junge, 816.
Discussion, 824.

Castings.

See also **Alloy Steel; Aluminum; Brass;
Bronze; Cast Iron; Copper; Die Castings;
Magnesium; Malleable Iron; Steel**.

Finishing Magnesium Die Castings—H. W.
Schmidt, 941.

The Finishing of Zinc-Base Alloy Die Cast-
ings—E. A. Anderson, 949.

Finishes for Aluminum Die Castings—A. E.
Keskulla and Junius D. Edwards, 931.

Cellulose Acetate.

Mechanical Tests of Cellulose Acetate—
William N. Findley, 1231. Discussion,
1244.

Cement.

Cement. Report of Committee C-1, 224.
Discussion, 232.

The Effect of Fine Aggregate on the Dura-
bility of Mortars—C. A. Hughes and Ken-
neth A. Andersen, 987.

Summary of Proceedings of the Washington
Spring Meeting — Symposium on New

Methods for Particle Size Determinations in the Subsieve Range, 1341.

Thermal Insulating Materials. Report of Committee C-16, 305.

Charpy Impact.

See **Impact Testing.**

Chain Link Fence.

Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 101.

Chemical Analysis.

Chemical Analysis of Metals. Report of Committee E-3, 500.

Proposed Method of Test for Calcium Sulfate in Gypsum and Gypsum Products by the Ammonium Acetate Method. Report of Committee C-11, Appendix, 293.

Proposed Methods for Identification of Finishes on Textile (Qualitative). Report of Committee D-13, Appendix II, 455.

Spectrographic Analysis. Report of Committee E-2, 498.

Chemical Finishes.

Finishing Magnesium Die Castings—H. W. Schmidt, 941.

Finishes for Aluminum Die Castings—A. E. Keskulla and Junius D. Edwards, 931.

Chemical Lime.

See **Lime.**

Chromium.

Electrodeposited Metallic Coatings. Report of Committee B-8, 222.

Mobilizing Materials for Defense—John H. Van Deventer. Published in ASTM BULLETIN, No. 111, August, 1941, p. 19.

Chromium-Nickel Alloys.

See **Alloy Steel; Corrosion-Resisting Alloy Steels; Electrical-Resistance and Heating Alloys.**

Clay Hollow Tile.

See **Tile.**

Coal.

Coal and Coke. Report of Committee D-5, 370

A Laboratory Test for the Ignitibility of Coal—Ralph A. Sherman, J. M. Pilcher and

H. N. Ostborg. Published in ASTM BULLETIN, No. 112, October, 1941, p. 23. Discussion, p. 32.

A Study of the Grindability of Coal and the Fineness of Pulverized Coal when Using the Lea-Nurse Air Permeability Method for Evaluating the Subsieve Fractions—J. B. Romer, 1152. Discussion, 1167.

Coatings.

Finishing Magnesium Die Castings—H. W. Schmidt, 941.

The Finishing of Zinc-Base Alloy Die Castings—E. A. Anderson, 949.

Finishes for Aluminum Die Castings—A. E. Keskulla and Junius D. Edwards, 931.

Cobalt.

Mobilizing Materials for Defense—John H. Van Deventer. Published in ASTM BULLETIN, No. 111, August, 1941, p. 19.

Coke.

Coal and Coke. Report of Committee D-5, 370.

Cold Flow.

Factors Influencing Creep and Cold Flow of Plastics—J. Delmonte and W. Dewar. Published in ASTM BULLETIN, No. 112, October, 1941, p. 35. Discussion, p. 41.

Color.

Summary of Proceedings of the Washington Spring Meeting—Symposium on Color—Its Specification and Use in Evaluating the Appearance of Materials, 1342.

Compression Testing.

Compression and Tension Tests of Structural Alloys—Bruce Johnston and Francis Opila, 552. Discussion, 571.

The Effect of Capping Methods and End Conditions Before Capping upon the Compressive Strength of Concrete Test Cylinders—G. E. Troxell, 1038. Discussion, 1045.

The Strain Hardening of Gray Cast Iron—John Sanford Peck, 811. Discussion, 815.

The Stress-Strain Characteristics of Cold-Rolled Austenitic Stainless Steels in Compression as Determined by the Cylinder Test Method—Russell Franks and W. O. Binder, 629.

Concrete.

- Concrete and Concrete Aggregates. Report of Committee C-9, 286.
- Concrete Pipe. Report of Committee C-13, 297.
- Concrete Under Sustained Working Loads; Evidence that Shrinkage Dominates Time Yield—G. A. Maney, 1021. Discussion, 1031.
- A Device for Studying the Workability of Concrete—T. C. Powers and E. M. Wiler, 1003. Discussion, 1016.
- Discussion of Dynamic Methods of Testing Concrete with Suggestions for Standardization—Leonard Obert and Wilbur I. Duvall, 1053. Discussion, 1071.
- The Effect of Capping Methods and End Conditions Before Capping upon the Compressive Strength of Concrete Test Cylinders—G. E. Troxell, 1038. Discussion, 1045.
- Manufactured Masonry Units. Report of Committee C-15, 302.
- Statistical Theory of the Effect of Dimensions and of Method of Loading upon the Modulus of Rupture of Beams—John Tucker, Jr., 1072. Discussion, 1089.

Condensate, Steam.

- Experimental Methods for Determining Conductivity Corrections for Dissolved Gases in Steam Condensate—S. F. Whirl and W. A. Lower, 1277. Discussion, 1296.

Conditioning.

- Electrical Insulating Materials. Report of Committee D-9, 389.
- Methods of Testing. Report of Committee E-1, 475.

Conductivity.

- Symposium on Problems and Practice in Determining Steam Purity by Conductivity Methods:
- Introduction—R. E. Hall, 1261.
- The Sampling of Steam and Boiler Water—A. R. Belyea and A. H. Moody, 1264. Discussion, 1274.
- Experimental Methods for Determining Conductivity Corrections for Dissolved Gases in Steam Condensate—S. F. Whirl and W. A. Lower, 1277. Discussion, 1296.

- Calculation of Corrections to Conductivity Measurements for Dissolved Gases—D. S. McKinney, 1285. Discussion, 1296.
- The Degasification of Steam Samples for Conductivity Tests—P. B. Place, 1302. Discussion, 1313.
- A New Type of Conductivity Apparatus for Use with Boiler Waters and Steam Samples—A. R. Mumford, 1314. Discussion, 1337.
- Conductivity Cells and Electrical Measuring Instruments—C. E. Kaufmann, 1326. Discussion, 1337.
- Combined Bibliography, 1338.

Consistency.

- A Device for Studying the Workability of Concrete—T. C. Powers and E. M. Wiler, 1003. Discussion, 1016.
- Methods of Testing. Report of Committee E-1, 475.

Contact Metals.

- Electrical-Heating, Electrical-Resistance, and Electric-Furnace Alloys. Report of Committee B-4, 177.

Containers.

- Paper and paper Products. Report of Committee D-6, 375.
- Shipping Containers. Report of Committee D-10, 421.

Copper.

- See also **Copper Wire.**
- Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 172.
- Chemical Analysis of Metals. Report of Committee E-3, 500.
- Copper and Copper Alloys, Cast and Wrought. Report of Committee B-5, 182.
- Effect of Rate of Strain on Yield Strength, Tensile Strength, Elongation, and Reduction of Area in Tension Tests, P. G. Jones and H. F. Moore. Report of Committee E-1, Appendix II, 488.
- Fatigue Tests on Some Copper Alloys—A. R. Anderson and Cyril Stanley Smith, 849. Discussion, 858.
- Mercury Cracking Test, Procedure and Control—H. Rosenthal and A. L. Jamieson, 897. Discussion, 927.
- Mobilizing Materials for Defense—John H. Van Deventer. Published in ASTM BULLETIN, No. 111, August, 1941, p. 19.

- Non-Ferrous Metals and Alloys. Report of Committee B-2, 165.
- The Sampling of Steam and Boiler Water—A. R. Belyea and A. H. Moody, 1264. Discussion, 1274.
- The Tensile Properties of Some Copper Alloys—Cyril Stanley Smith and R. W. Van Wagner, 825. Discussion, 846.
- Copper-Bearing Steel.**
- Corrosion of Iron and Steel. Report of Committee A-5, 96.
- Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 101.
- Record of failures in atmospheric tests at Annapolis of No. 22-gage copper-bearing and non-copper-bearing corrugated black sheets, Report of Committee A-5, 98.
- Copper-Covered Wires.**
- Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 101.
- Copper Wire.**
- Copper and Copper-Alloy Wires for Electrical Conductors. Report of Committee B-1, 159.
- Cord.**
- The Effect of Rate of Loading on Tensile Strength of Cord and Yarn—M. Castricum and A. N. Benson, 1214.
- Core Loss.**
- Measurement of Core Loss and A. C. Permeability with the 25-cm. Epstein Frame—S. L. Burgwin, 779. Discussion, 796.
- Corrosion.**
- See also **Weathering.**
- An Accelerated Atmospheric Corrosion Test—H. Pray and J. L. Gregg, 758.
- Addition of Bismuth for Producing Free-Machining Stainless Steels—H. Pray, R. S. Peoples, and F. W. Fink, 646. Discussion, 656.
- Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 172.
- Comparative Value of Arsenic, Antimony, and Phosphorus in Preventing Dezincification—W. Lynes, 859. Discussion, 880.
- Corrosion of Iron and Steel. Report of Committee A-5, 96.
- Corrosion of Non-Ferrous Metals and Alloys. Report of Committee B-3, 169.
- An Equation Representing the Rate of Development of Rust on Galvanized Iron Sheets as Estimated by the A.S.T.M. Test—J. B. Austin, 766. Discussion, 775.
- Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 101.
- Influence of External Stresses on Tendency of Brass Wires to Stress-Corrosion Crack, as Indicated by the Mercurous Nitrate Test—Harry P. Croft, 905. Discussion, 927.
- Iron-Chromium, Iron-Chromium-Nickel, and Related Alloys. Report of Committee A-10, 128.
- Pitting and Its Effect on the Fatigue Limit of Steels Corroded Under Various Conditions—D. J. McAdam, Jr., and G. W. Geil, 696. Discussion, 732.
- Preparation and Painting of Structural Iron and Steel. Report of Subcommittee XXIX, Committee D-1, 322.
- Record of failures in atmospheric tests at Annapolis of No. 22-gage copper-bearing and non-copper-bearing corrugated black sheets, Report of Committee A-5, 98.
- Research. Report of Committee E-9, 507.
- The Sampling of Steam and Boiler Water—A. R. Belyea and A. H. Moody, 1264. Discussion, 1274.
- Corrosion-Resisting Alloy Steels.**
- Addition of Bismuth for Producing Free-Machining Stainless Steels—H. Pray, R. S. Peoples, and F. W. Fink, 646. Discussion, 656.
- Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 101.
- Iron-Chromium, Iron-Chromium-Nickel and Related Alloys. Report of Committee A-10, 128.
- Cotton and Cotton Products.**
- Textile Materials. Report of Committee D-13, 440.
- Cracking Test.**
- Influence of External Stresses on Tendency of Brass Wires to Stress-Corrosion Crack, as Indicated by the Mercurous Nitrate Test—Harry P. Croft, 905. Discussion, 927.

Cracking Test (Continued):

Mercury Cracking Test, Procedure and Control—H. Rosenthal and A. L. Jamieson, 897. Discussion, 927.

Crankcase Oil.

See **Lubricants.**

Creep Tests.

See also **Temperature, Effect of.**

Concrete Under Sustained Working Loads; Evidence that Shrinkage Dominates Time Yields—G. A. Maney, 1021. Discussion, 1031.

The Effect of Carbide Spheroidization upon the Creep Strength of Carbon-Molybdenum Steel—S. H. Weaver, 608. Discussion, 628.

Effect of Temperature on the Properties of Metals. Report of Joint Research Committee, 154.

The Fabrication of Carbon-Molybdenum Piping for High-Temperature Service—R. W. Emerson, 579. Discussion, 605.

Factors Influencing Creep and Cold Flow of Plastics—J. Delmonte and W. Dewar. Published in *ASTM BULLETIN*, No. 112, October, 1941, p. 35. Discussion, p. 41.

Creosote.

Tests of Glued Laminated Wood Beams Impregnated with Creosote—William A. Oliver, 1198. Discussion, 1212.

Crib Test.

Report on Comparative Fire Tests of Treated and Untreated Wood. Report of Subcommittee II, Committee C-5, 238.

Crystallization.

Naval Stores. Report of Committee D-17, 457.

Culvert Pipe.

See **Pipe and Piping Materials.**

Cylinder Test Method.

The Stress-Strain Characteristics of Cold-Rolled Austenitic Stainless Steels in Compression as Determined by the Cylinder Test Method—Russell Franks and W. O. Binder, 629.

D**Damproofing.**

See **Waterproofing Materials.**

Definitions of Terms.

See **Nomenclature.**

Density.

Proposed Method of Test for Moisture-Density Relations of Soil. Report of Committee D-18, Appendix II, 467.

Young's Modulus of Elasticity and Some Related Properties of Graphitic Materials—H. A. Schwartz and C. H. Junge, 816. Discussion, 824.

Detergents.

See **Soaps and Detergents.**

Dezincification.

Comparative Value of Arsenic, Antimony, and Phosphorus in Preventing Dezincification—W. Lynes, 859. Discussion, 880.

Die Castings.

Die-Cast Metals and Alloys. Report of Committee B-6, 199.

Dielectric Constant.

Measurements of Power Factor and Dielectric Constant at Ultra High Frequencies—K. G. Coutlee, R. F. Field, E. O. Hausmann, Thomas Hazen and Harry R. Meahl, 1172. Report on Round-Robin Tests of Power Factor and Dielectric Constant for Glass—Philip A. Richards, 1183.

Diesel Fuel Oil.

Diesel-Fuel-Oil Classification. Report of Committee D-2, Appendix V, 356.

Diffraction.

The Effect of Shot Blasting and Its Bearing on Fatigue—J. M. Lessells and W. M. Murray, 659. Discussion, 674.

Natural and Synthetic Rubbers. Sixteenth Edgar Marburg Lecture—Harry L. Fisher, 521.

Dilatancy.

A Device for Studying the Workability of Concrete—T. C. Powers and E. M. Wiler, 1003. Discussion, 1016.

Dimensions, Effect of.

Statistical Theory of the Effect of Dimensions and of Method of Loading upon the Modulus of Rupture of Beams—John Tucker, Jr., 1072. Discussion, 1089.

Distillation.

The Degasification of Steam Samples for Conductivity Tests—P. B. Place, 1302. Discussion, 1313.

Ductility.

The Influence of Recovery Temperature on the Ductility of the Recovered Asphalt—Carl Bussow, 1131.

Dudley Medal.

Fifteenth Award of the Charles B. Dudley Medal. Summary of Proceedings of the Forty-fourth Annual Meeting, 21.

Durability.

See **Weathering.**

Duralumin.

See **Aluminum.**

Dynamic Testing.

Discussion of Dynamic Methods of Testing Concrete with Suggestions for Standardization—Leonard Obert and Wilbur I. Duval, 1053. Discussion, 1071.

Testing Material in the Resonance Range—R. K. Bernhard, 747.

E

Earth Pressures.

The Measurement of Earth Pressures on the Chicago Subway—Ralph B. Peck. Published in *ASTM BULLETIN*, No. 111, August, 1941, p. 25.

Effect of Temperature.

See **Temperature, Effect of.**

Elasticity.

See **Compression Testing; Tension Testing.**

Electrical Insulating Materials.

Electrical Insulating Materials. Report of Committee D-9, 389.

Electrical Insulating Materials. Report of Sectional Committee C59, 419.

An Investigation of Punching Quality of Laminated Phenolic Sheet. Report of Committee D-9, Appendix II, 403.

Measurements of Power Factor and Dielectric Constant at Ultra High Frequencies—K. G. Coutlee, R. F. Field, E. O. Hausmann, Thomas Hazen and Harry R. Meahl, 1172.

Plastics. Report of Committee D-20, 472.

Proposed Methods of Test for Sludge Formation in Mineral Transformer Oil. Report of Committee D-9, Appendix III, 413.

Recommendations Affecting Standards for Electrical Insulating Materials. Report of Committee D-9, Appendix I, 398.

Report on Round-Robin Tests of Power Factor and Dielectric Constant for Glass—Philip A. Richards, 1183.

Electrical-Resistance and Heating Alloys.

Electrical-Heating, Electrical-Resistance, and Electric-Furnace Alloys. Report of Committee B-4, 177.

Electrical Testing.

Conductivity Cells and Electrical Measuring Instruments—C. E. Kaufman, 1326. Discussion, 1337.

Measurement of Core Loss and A. C. Permeability with the 25-cm. Epstein Frame—S. L. Burgwin, 779. Discussion, 796.

Electrodeposited Coatings.

Corrosion of Iron and Steel. Report of Committee A-5, 96.

Electrodeposited Metallic Coatings. Report of Committee B-8, 222.

Electromagnetic Properties.

Young's Modulus of Elasticity and Some Related Properties of Graphitic Materials—H. A. Schwartz and C. H. Junge, 816. Discussion, 824.

Electrometric Titration.

Proposed Method of Test for Neutralization Number of Petroleum Products by Electrometric Titration. Report of Committee D-2, Appendix II, 342.

Electron Microscope.

Summary of Proceedings of the Washington Spring Meeting—Symposium on New Methods for Particle Size Determinations in the Subsieve Range, 1341.

Electroplated Finishes.

The Finishing of Zinc-Base Alloy Die Castings—E. A. Anderson, 949.

Finishes for Aluminum Die Castings—A. E. Keskulla and Junius D. Edwards, 931.

Elongation.

Effect of Rate of Strain on Yield Strength, Tensile Strength, Elongation, and Reduction of Area in Tension Tests, P. G. Jones and H. F. Moore. Report of Committee E-1, Appendix II, 488.

Effect of Specimen Shape and Size on Measured Values of Tensile Properties, G. F. Jenks. Report of Committee E-1, Appendix I, 483.

Emulsified Asphalt.

See **Asphalt**.

Endurance Testing.

See **Fatigue**.

Epstein Frame.

Measurement of Core Loss and A. C. Permeability with the 25-cm. Epstein Frame—S. L. Burgwin, 779. Discussion, 796.

Etching.

See **Metallography**.

Executive Committee.

Annual Report of the Executive Committee, 43.

Exposure Tests.

See **Corrosion**; **Weathering**.

F**Fabrics.**

See **Textile Materials**.

Fatigue.

The Effect of Shot Blasting and Its Bearing on Fatigue—J. M. Lessells and W. M. Murray, 659. Discussion, 674.

The Effect of Type of Testing Machine on Fatigue Tests Results. Report of the Research Committee on Fatigue of Metals, Appendix, 133. Discussion, 151.

Fatigue Comparison of 7-in. Diameter Solid and Tubular Axles—O. J. Horger and T. V. Buckwalter, 682. Discussion, 694.

Fatigue of Metals. Report of the Research Committee, 132.

Fatigue and Static Load Tests of a High-Strength Cast Iron at Elevated Temperatures—W. Leighton Collins and James O. Smith, 797. Discussion, 808.

Fatigue Tests on Some Copper Alloys—A. R. Anderson and Cyril Stanley Smith, 849. Discussion, 858.

Mechanical Tests of Cellulose Acetate—William N. Findley, 1231. Discussion, 1244.

A New High-Temperature Fatigue Machine—W. P. Welch and W. A. Wilson, 733. Discussion, 746.

Pitting and Its Effect on the Fatigue Limit of Steels Corroded Under Various Conditions—D. J. McAdam, Jr., and G. W. Geil, 696. Discussion, 732.

The Properties of Certain Lead-Bearing Alloys—Albert J. Phillips, Albert A. Smith, Jr., and Paul A. Beck, 886. Discussion, 894.

Testing Material in the Resonance Range—R. K. Bernhard, 747.

Fence.

Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 101.

Ferro-Alloys.

Ferro-Alloys. Report of Committee A-9, 127.

Fiberboard.

Paper and Paper Products. Report of Committee D-6, 375.

Fibers.

Measurements of Power Factor and Dielectric Constant at Ultra High Frequencies—K. G. Coutlee, R. F. Field, E. O. Hausmann, Thomas Hazen and Harry R. Meahl, 1172.

Textile Materials. Report of Committee D-13, 440.

Finances.

Annual Report of the Executive Committee, 43.

Effect of Temperature on the Properties of Metals. Report of Joint Research Committee, 154.

Fineness.

See also **Particle Size.**

A Study of the Grandiability of Coal and the Fineness of Pulverized Coal when Using the Lea-Nurse Air Permeability Method for Evaluating the Subsieve Fractions—J. B. Romer, 1152. Discussion, 1167.

Finishes.

Finishing Magnesium Die Castings—H. W. Schmidt, 941.

The Finishing of Zinc-Base Alloy Die Castings—E. A. Anderson, 949.

Finishes for Aluminum Die Castings—A. E. Keskulla and Junius D. Edwards, 931.

Finishes, Textile.

Proposed Methods for Identification of Finishes on Textiles (Qualitative). Report of Committee D-13, Appendix II, 455.

Textile Materials. Report of Committee D-13, 440.

Fire Brick.

See **Refractories.**

Fire Tests.

Fire Tests of Materials and Construction. Report of Committee C-5, 235.

Report on Comparative Fire Tests of Treated and Untreated Wood. Report of Subcommittee II, Committee C-5, 238.

Floor Tile.

See **Tile.**

Flow.

Concrete Under Sustained Working Loads; Evidence that Shrinkage Dominates Time Yield—G. A. Maney, 1021. Discussion, 1031.

A Device for Studying the Workability of Concrete—T. C. Powers and E. M. Wiler, 1003. Discussion, 1016.

Shear Strength of Molded Plastic Materials—John Delmonte. To be published in ASTM BULLETIN, No. 114, January, 1942.

Freezing-and-Thawing Tests.

The Effect of Fine Aggregate on the Durability of Mortars—C. A. Hughes and Kenneth A. Andersen, 987.

Effect of Freezing Temperature in Freezing-

and-Thawing Tests of Brick—Joseph C. Richmond and John W. McBurney, 967. Research. Report of Committee E-9, 507.

Fuel Oil.

See also **Petroleum Products.**

Diesel-Fuel-Oil Classification. Report of Committee D-2, Appendix V, 356.

Proposed Method for Conversion of Kinematic Viscosity to Saybolt Furol Viscosity. Report of Committee D-2, Appendix I, 341.

G**Galvanizing.**

See also **Zinc Coatings.**

An Equation Representing the Rate of Development of Rust on Galvanized Iron Sheets as Estimated by the A.S.T.M. Test—J. B. Austin, 766. Discussion, 775.

Gas.

Studies on the Measurement of Water Vapor in Gases—F. C. Todd and A. W. Gauger, 1134.

Symposium on Problems and Practice in Determining Steam Purity by Conductivity Methods:

Introduction—R. E. Hall, 1261.

The Sampling of Steam and Boiler Water—A. R. Belyea and A. H. Moody, 1264. Discussion, 1274.

Experimental Methods for Determining Conductivity Corrections for Dissolved Gases in Steam Condensate—S. F. Whirl and W. A. Lower, 1277. Discussion, 1296.

Calculation of Corrections to Conductivity Measurements for Dissolved Gases—D. S. McKinney, 1285. Discussion, 1296.

The Degasification of Steam Samples for Conductivity Tests—P. B. Place, 1302. Discussion, 1313.

A New Type of Conductivity Apparatus for Use with Boiler Waters and Steam Samples—A. R. Mumford, 1314. Discussion, 1337.

Conductivity Cells and Electrical Measuring Instruments—C. E. Kaufman, 1326. Discussion, 1337.

Combined Bibliography, 1338.

Gaseous Fuels.

Gaseous Fuels. Report of Committee D-3, 362.

Gasoline.

Petroleum Products and Lubricants. Report of Committee D-2, 330.

Proposed Method of Test for Potential Gum in Aviation Gasoline. Report of Committee D-2, Appendix IV, 351.

Glass.

Electrical Insulating Materials. Report of Committee D-9, 389.

Glass and Glass Products. Report of Committee C-14, 300.

Laboratory apparatus, Report of Committee E-1 on Methods of Testing, 475.

Methods of Testing Volumetric Glassware. J. J. Moran. Report of Committee E-1, Appendix III, 492.

Report on Round-Robin Tests of Power Factor and Dielectric Constant for Glass—Philip A. Richards, 1183.

Glass Textiles.

Textile Materials. Report of Committee D-13, 440.

Grain Size.

See **Metallography.**

Graphite.

Microstructure of Cast Iron. Report of Subcommittee VII, Committee A-3, 90.

Graphitizable Steel.

Young's Modulus of Elasticity and Some Related Properties of Graphitic Materials—H. A. Schwartz and C. H. Junge, 816. Discussion, 824.

Gray Iron.

See **Cast Iron.**

Grease.

See also **Lubricants.**

Performance Specifications for Greases—Robert C. Adams and Harrison E. Patten, 1095. Discussion, 1105.

Grindability.

A Study of the Grindability of Coal and the Fineness of Pulverized Coal when Using the Lea-Nurse Air Permeability Method for Evaluating the Subsieve Fractions—J. B. Romer, 1152. Discussion, 1167.

Gum Test.

Proposed Method of Test for Potential Gum in Aviation Gasoline. Report of Committee D-2, Appendix IV, 351.

Gypsum.

Gypsum. Report of Committee C-11, 290.

Proposed Method of Test for Calcium Sulfate in Gypsum and Gypsum Products by the Ammonium Acetate Method. Report of Committee C-11, Appendix, 293.

H**Hardness Testing.**

An Investigation of Punching Quality of Laminated Phenolic Sheet. Report of Committee D-9, Appendix II, 403.

The Properties of Certain Lead-Bearing Alloys—Albert J. Phillips, Albert A. Smith, Jr., and Paul A. Beck, 886. Discussion, 894.

The Strain Hardening of Gray Cast Iron—John Sanford Peck, 811. Discussion, 815.

Hard Rubber.

See **Rubber Products.**

Heat Treatment.

A High Strength Aluminum Sand Casting Alloy Not Requiring Solution Treatment and Quench. Report of Committee B-7, Appendix II, 216.

Nomenclature and Definitions. Report of Committee E-8, 504.

Heating Elements.

See **Electrical-Resistance and Heating Alloys.**

Hiding Power.

Summary of Proceedings of the Washington Spring Meeting—Symposium on Color—Its Specification and Use in Evaluating the Appearance of Materials, 1342.

High-Temperature Materials and Tests.

See **Temperature, Effect of.**

High-Temperature Service Materials.

See **Refractories; Temperature, Effect of.**

High-Temperature Testing.

See **Temperature, Effect of.**

Hollow Tile.

See **Tile.**

Homogeneity.

Fundamental Significance of Oliensis Spot Test—Quantitative Tests for Homogeneity—G. L. Oliensis, 1108. Discussion, 1123.

Hydrogen Ion Determinations.

See **pH Value.**

Hydrometer Method.

An Improved Hydrometer Method for Use in Fineness Determinations—Alexander Klein, 953.

I**Ignitibility.**

A Laboratory Test for the Ignitibility of Coal—Ralph A. Sherman, J. M. Pilcher and H. N. Ostborg. Published in ASTM BULLETIN, No. 112, October, 1941, p. 23. Discussion, p. 32.

Impact Testing.

Comparative Value of Arsenic, Antimony, and Phosphorus in Preventing Dezincification—W. Lynes, 859. Discussion, 880.

Effect of Temperature on the Properties of Metals. Report of Joint Research Committee, 154.

Incandescent Lamp Materials.

See **Electrical-Resistance and Heating Alloys.**

Industrial Waters.

See **Water.**

Instruments.

See **Testing Apparatus.**

Insulating Materials.

See also **Electrical Insulating Materials; Refractories; Thermal Insulating Materials.**
Measurements of Power Factor and Dielectric Constant at Ultra High Frequencies—K. G. Coutlee, R. F. Field, E. O. Hausmann, Thomas Hazen and Harry R. Meahl, 1172.
Report on Round-Robin Tests of Power Factor and Dielectric Constant for Glass—Philip A. Richards, 1183.

Iron.

See also **Cast Iron; Malleable Iron; Wrought Iron.**

Chemical Analysis of Metals. Report of Committee E-3, 500.

Corrosion of Iron and Steel. Report of Committee A-5, 96.

The Effect of Shot Blasting and Its Bearing on Fatigue—J. M. Lessells and W. M. Murray, 659. Discussion, 674.

An Equation Representing the Rate of Development of Rust on Galvanized Iron Sheets as Estimated by the A.S.T.M. Test—J. B. Austin, 766. Discussion, 775.

Fatigue and Static Load Tests of a High-Strength Cast Iron at Elevated Temperatures—W. Leighton Collins and James O. Smith, 797. Discussion, 808.

Magnetic Properties. Report of Committee, A-6, 124.

The Sampling of Steam and Boiler Water—A. R. Belyea and A. H. Moody, 1264. Discussion, 1274.

The Strain Hardening of Gray Cast Iron—John Sanford Peck, 811. Discussion, 815.

Young's Modulus of Elasticity and Some Related Properties of Graphitic Materials—H. A. Schwartz and C. H. Junge, 816. Discussion, 824.

Iron-Chromium-Nickel Alloys.

See **Corrosion-Resisting Alloy Steels; Electrical-Resistance and Heating Alloys.**

Izod Impact.

See **Impact Testing.**

L**Laboratory Apparatus.**

See **Testing Apparatus; Thermometers, ASTM.**

Lacquers.

See also **Electrical Insulating Materials.**
Paint, Varnish, Lacquer, and Related Products. Report of Committee D-1, 311.

Laminated Wood Beams.

Tests of Glued Laminated Wood Beams Impregnated with Creosote—William A. Oliver, 1198. Discussion, 1212.

Latex.

See **Rubber Products.**

Lead.

Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 172.

Mobilizing Materials for Defense—John H. Van Deventer. Published in ASTM BULLETIN, No. 111, August, 1941, p. 19.

Non-Ferrous Metals and Alloys. Report of Committee B-2, 165.

The Properties of Certain Lead-Bearing Alloys—Albert J. Phillips, Albert A. Smith, Jr., and Paul A. Beck, 886. Discussion, 894.

Lead-Coated Wire.

Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 101.

Lecture.

Natural and Synthetic Rubbers. Sixteenth Edgar Marburg Lecture—Harry L. Fisher, 521.

Light Metals.

See **Aluminum ; Magnesium.**

Lime.

Lime. Report of Committee C-7, 277.

Properties of Limes and Lime Mortars—Howard R. Staley, 975. Discussion, 986.

Loading Methods.

Statistical Theory of the Effect of Dimensions and of Method of Loading upon the Modulus of Rupture of Beams—John Tucker, Jr., 1072. Discussion, 1089.

Los Angeles Abrasion Test.

Concrete and Concrete Aggregates. Report of Committee C-9, 286.

Road and Paving Materials. Report of Committee D-4, 365.

Low-Temperature Testing.

See also **Temperature, Effect of.**

Effect of Temperature on the Properties of Metals. Report of Joint Research Committee, 154.

Lubricants.

See also **Petroleum Products.**

Petroleum Products and Lubricants. Report of Committee D-2, 330.

Petroleum Products and Lubricants. Report of Sectional Committee Z11, 360.

Proposed Method of Test for Neutralization Number of New and Used Crankcase Oils. Report of Committee D-2, Appendix III, 348.

Proposed Method of Test for Neutralization Number of Petroleum Products by Electrometric Titration. Report of Committee D-2, Appendix II, 342.

M**Machinability.**

Addition of Bismuth for Producing Free-Machining Stainless Steels—H. Pray, R. S. Peoples, and F. W. Fink, 646. Discussion, 656.

Magnesium.

Die-Cast Metals and Alloys. Report of Committee B-6, 199.

The Divider Method in Tension Testing of Magnesium-Base Alloys, H. W. Schmidt. Report of Committee B-7, Appendix III, 219.

Finishing Magnesium Die Castings—H. W. Schmidt, 941.

Light Metals and Alloys, Cast and Wrought. Report of Committee B-7, 203.

Mobilizing Materials for Defense—John H. Van Deventer. Published in ASTM BULLETIN, No. 111, August, 1941, p. 19.

Proposed Revisions in Standards for Light Metals and Alloys, Cast and Wrought. Report of Committee B-7, Appendix I, 208.

Magnesium Sulfate Test.

The Effect of Fine Aggregate on the Durability of Mortars—C. A. Hughes and Kenneth A. Andersen, 987.

Magnetic Testing.

Magnetic Properties. Report of Committee A-6, 124.

Malleable Iron.

Young's Modulus of Elasticity and Some Related Properties of Graphitic Materials—H. A. Schwartz and C. H. Junge, 816. Discussion, 824.

Manganese.

Mobilizing Materials for Defense—John H. Van Deventer. Published in ASTM BULLETIN, No. 111, August, 1941, p. 19.

Marburg Lecture.

Natural and Synthetic Rubbers. Sixteenth Edgar Marburg Lecture—Harry L. Fisher, 521.

Masonry Units.

See also **Brick; Tile.**

Manufactured Masonry Units. Report of Committee C-15, 302.

Mortars for Unit Masonry. Report of Committee C-12, 295.

Medal Award.

Fifteenth Award of the Charles B. Dudley Medal. Summary of Proceedings of the Forty-fourth Annual Meeting, 21.

Membership.

Annual Report of the Executive Committee, 43.

Mercury.

Mobilizing Materials for Defense—John H. Van Deventer. Published in ASTM BULLETIN, No. 111, August, 1941, p. 19.

Mercury Cracking Test.

Influence of External Stresses on Tendency of Brass Wires to Stress-Corrosion Crack, as Indicated by the Mercurous Nitrate Test—Harry P. Croft, 905. Discussion, 927.

Mercury Cracking Test, Procedure and Control—H. Rosenthal and A. L. Jamieson, 897. Discussion, 927.

Metallography.

Metallography. Report of Committee E-4, 502.

Microstructure of Cast Iron. Report of Subcommittee VII, Committee A-3, 90.

Metallurgy.

The Fabrication of Carbon-Molybdenum Piping for High-Temperature Service—R. W. Emerson, 579. Discussion, 605.

Young's Modulus of Elasticity and Some Related Properties of Graphitic Materials—H. A. Schwartz and C. H. Junge, 816. Discussion, 824.

Methods of Testing.

See **Chemical Analysis; Testing, Physical Methods of.**

(Papers and reports covering methods of analysis, sampling, testing, etc., are indexed under the materials and subjects covered by them.)

Mica.

Electrical Insulating Materials. Report of Committee D-9, 389.

Microscopic Test.

Microstructure of Cast Iron. Report of Subcommittee VII, Committee A-3, 90.

Modulus of Elasticity.

See also **Tension Testing.**

Discussion of Dynamic Methods of Testing Concrete with Suggestions for Standardization—Leonard Obert and Wilbur I. Duvall, 1053. Discussion, 1071.

Young's Modulus of Elasticity and Some Related Properties of Graphitic Materials—H. A. Schwartz and C. H. Junge, 816. Discussion, 824.

Modulus of Rupture.

Statistical Theory of the Effect of Dimensions and of Method of Loading upon the Modulus of Rupture of Beams—John Tucker, Jr., 1072. Discussion, 1089.

Moisture Content.

Studies on the Measurement of Water Vapor in Gases—F. C. Todd and A. W. Gauger, 1134.

Proposed Method of Test for Moisture-Density Relations of Soil. Report of Committee D-18, Appendix II, 467.

Molded Insulating Materials.

See **Electrical Insulating Materials; Plastics; Thermal Insulating Materials.**

Molybdenum.

The Fabrication of Carbon-Molybdenum Piping for High-Temperature Service—R. W. Emerson, 579. Discussion, 605.

Mobilizing Materials for Defense—John H. Van Deventer. Published in ASTM BULLETIN, No. 111, August, 1941, p. 19.

Mortars.

The Effect of Fine Aggregate on the Durability of Mortars—C. A. Hughes and Kenneth A. Andersen, 987.

Lime. Report of Committee C-7, 277.

Mortars (Continued):

Mortars for Unit Masonry. Report of Committee C-12, 295.

Properties of Limes and Lime Mortars—Howard R. Staley, 975. Discussion, 986.

Motor Fuel.

See **Fuel Oil; Gasoline; Petroleum Products.**

Motor Oils.

See **Lubricants; Petroleum Products.**

N**National Defense.**

Mobilizing Materials for Defense—John H. Van Deventer. Published in ASTM BULLETIN, No. 111, August, 1941, p. 19.

Natural Building Stone.

See **Stone.**

Naval Stores.

Naval Stores. Report of Committee D-17, 457.

Neutralization.

Proposed Method of Test for Neutralization Number of New and Used Crankcase Oils. Report of Committee D-2, Appendix III, 348.

Proposed Method of Test for Neutralization Number of Petroleum Products by Electrometric Titration. Report of Committee D-2, Appendix II, 342.

Results of tests for neutralization number by various methods, Report of Committee D-2, 332.

Nickel.

Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 172.

Electrodeposited Metallic Coatings. Report of Committee B-8, 222.

Mobilizing Materials for Defense—John H. Van Deventer. Published in ASTM BULLETIN, No. 111, August, 1941, p. 19.

Non-Ferrous Metals and Alloys. Report of Committee B-2, 165.

The Sampling of Steam and Boiler Water—A. R. Belyea and A. H. Moody, 1264, Discussion, 1274.

Nickel-Chromium Alloys.

See **Alloy Steel; Corrosion-Resisting Alloy Steels; Electrical-Resistance and Heating Alloys.**

Nickel-Copper Alloys.

Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 172.

Non-Ferrous Metals and Alloys. Report of Committee B-2, 165.

Nickel-Silver Alloy.

See **Brass; Bronze.**

Nitrocellulose Finishes.

Proposed Methods for Identification of Finishes on Textiles (Qualitative). Report of Committee D-13, Appendix II, 455.

Nomenclature.

Nomenclature and Definitions. Report of Committee E-8, 504.

Proposed Definitions of Terms and Symbols Relating to Soil Mechanics. Report of Committee D-18, Appendix I, 460.

Notch Effect.

Fatigue and Static Load Tests of a High-Strength Cast Iron at Elevated Temperatures—W. Leighton Collins and James O. Smith, 797. Discussion, 808.

Mechanical Tests of Cellulose Acetate—William N. Findley, 1231. Discussion, 1244.

O**Odor-Taste Contamination.**

Method for Testing Odor-Taste Contamination Tendencies of Phenolic Plastic Closures—A. Herman. Published in ASTM BULLETIN, No. 111, August, 1941, p. 33.

Oils.

See **Fuel Oil; Lubricants; Petroleum Products; Transformer Oils.**

Oliensis Spot Test.

Fundamental Significance of Oliensis Spot Test—Quantitative Tests for Homogeneity—G. L. Oliensis, 1108. Discussion, 1123.

Opacity.

Summary of Proceedings of the Washington Spring Meeting—Symposium on Color—Its Specification and Use in Evaluating the Appearance of Materials, 1342.

Oxidation Test.

Performance Specifications for Greases—Robert C. Adams and Harrison E. Patten, 1095. Discussion, 1105.

Proposed Method of Test for Potential Gum in Aviation Gasoline. Report of Committee D-2, Appendix IV, 351.

Proposed Methods of Test for Sludge Formation in Mineral Transformer Oil. Report of Committee D-9, Appendix III, 413

P

Paints.

See also **Electrical Insulating Materials; Lacquers; Pigments; Varnish.**

Finishing Magnesium Die Castings—H. W. Schmidt, 941.

Finishes for Aluminum Die Castings—A. E. Keskulla and Junius D. Edwards, 931.

Paint, Varnish, Lacquer, and Related Products. Report of Committee D-1, 311.

Preparation and Painting of Structural Iron and Steel. Report of Subcommittee XXIX, Committee D-1, 322.

Summary of Proceedings of the Washington Spring Meeting—Symposium on Color—Its Specification and Use in Evaluating the Appearance of Materials, 1342.

Paper.

Electrical Insulating Materials. Report of Committee D-9, 389.

Paper and Paper Products. Report of Committee D-6, 375.

Papers and Publications.

Annual Report of the Executive Committee, 43.

Summary of the Proceedings of the Forty-fourth Annual Meeting, 1.

Particle Size.

An Improved Hydrometer Method for Use in Fineness Determinations—Alexander Klein, 953.

Methods of Testing. Report of Committee E-1, 475.

A Study of the Grindability of Coal and the Fineness of Pulverized Coal when Using the Lea-Nurse Air Permeability Method for Evaluating the Subsieve Fractions—J. B. Romer, 1152. Discussion, 1167.

Summary of Proceedings of the Washington Spring Meeting—Symposium on New Methods for Particle Size Determinations in the Subsieve Range, 1341.

Paving Materials.

See **Aggregates; Asphalt; Brick; Cement; Concrete; Soils.**

Penetration.

See also **Consistency.**

The Influence of Recovery Temperature on the Ductility of the Recovered Asphalt—Carl Bussow, 1131.

Performance Specifications.

Performance Specifications for Greases—Robert C. Adams and Harrison E. Patten, 1095. Discussion, 1105.

Permeability.

Measurement of Core Loss and A. C. Permeability with the 25-cm. Epstein Frame—S. L. Burgwin, 779. Discussion, 796.

Summary of Proceedings of the Washington Spring Meeting—Symposium on New Methods for Particle Size Determinations in the Subsieve Range, 1341.

Petroleum Products.

Diesel-Fuel-Oil Classification. Report of Committee D-2 Appendix V, 356.

Petroleum Products and Lubricants. Report of Committee D-2, 330.

Petroleum Products and Lubricants. Report of Sectional Committee Z11, 360.

Proposed Method for Conversion of Kinematic Viscosity to Saybolt Furol Viscosity. Report of Committee D-2, Appendix I, 341.

Proposed Method of Test for Neutralization Number of New and Used Crankcase Oils. Report of Committee D-2, Appendix III, 348.

Proposed Method of Test for Neutralization Number of Petroleum Products by Electrometric Titration. Report of Committee D-2, Appendix II, 342.

Proposed Method of Test for Potential Gum in Aviation Gasoline. Report of Committee D-2, Appendix IV, 351.

Phenolic Materials.

See **Electrical Insulating Materials; Plastics.**

Phosphorus.

Comparative Value of Arsenic, Antimony, and Phosphorus in Preventing Dezincification—W. Lynes, 859. Discussion, 880.

pH Value.

Methods of Testing. Report of Committee E-1, 475.

Proposed Method of Test for Neutralization Number of Petroleum Products by Electrometric Titration. Report of Committee D-2, Appendix II, 342.

Pigments.

See also **Paints**.

Paint, Varnish, Lacquer, and Related Products. Report of Committee D-1, 311.

Summary of Proceedings of the Washington Spring Meeting—Symposium on Color—Its Specification and Use in Evaluating the Appearance of Materials, 1342.

Pipe and Piping Materials.

Concrete Pipe. Report of Committee C-13, 297.

The Fabrication of Carbon-Molybdenum Piping for High-Temperature Service—R. W. Emerson, 579. Discussion, 605.

Steel. Report of Committee A-1, 68.

Pitch.

Proposed Specifications for Coal-Tar Pitch for Steep Built-Up Roofs, Dampproofing, and Waterproofing. Report of Committee D-8, Appendix, 387.

Pitting.

Pitting and Its Effect on the Fatigue Limit of Steels Corroded Under Various Conditions—D. J. McAdam, Jr., and G. W. Geil, 696. Discussion, 732.

Plastic Flow.

Concrete Under Sustained Working Loads; Evidence that Shrinkage Dominates Time Yield—G. A. Maney, 1021. Discussion, 1031.

Plasticity.

Performance Specifications for Greases—Robert C. Adams and Harrison E. Patten, 1095. Discussion, 1105.

Properties of Limes and Lime Mortars—Howard R. Staley, 975. Discussion, 986.

Plastics.

See also **Electrical Insulating Materials**.

Electrical Insulating Materials. Report of Committee D-9, 389.

Factors Influencing Creep and Cold Flow of Plastics—J. Delmonte and W. Dewar. Published in ASTM BULLETIN, No. 112, October, 1941, p. 35. Discussion, p. 41.

An Investigation of Punching Quality of Laminated Phenolic Sheet. Report of Committee D-9, Appendix II, 403.

Measurements of Power Factor and Dielectric Constant at Ultra High Frequencies—K. G. Coutlee, R. F. Field, E. O. Hausmann, Thomas Hazen and Harry R. Meahl, 1172.

Mechanical Tests of Cellulose Acetate—William N. Findley, 1231. Discussion, 1244.

Method for Testing Odor-Taste Contamination Tendencies of Phenolic Plastic Closures—A. Herman. Published in ASTM BULLETIN, No. 111, August, 1941, p. 33.

Mobilizing Materials for Defense—John H. Van Deventer. Published in ASTM BULLETIN, No. 111, August, 1941, p. 19.

Plastics. Report of Committee D-20, 472.

Resistance of Plastics to Chemical Reagents—G. M. Kline, R. C. Rinker and H. F. Meindl, 1246. Discussion, 1258.

Shear Strength of Molded Plastic Materials—John Delmonte. To be published in ASTM BULLETIN, No. 114, January, 1942.

Plate.

Effect of Specimen Shape and Size on Measured Values of Tensile Properties, G. F. Jenks. Report of Committee E-1, Appendix I, 483.

Platinum.

Mobilizing Materials for Defense—John H. Van Deventer. Published in ASTM BULLETIN, No. 111, August, 1941, p. 19.

Portland Cement.

See **Cement**.

Potentiometric Titration.

Proposed Method of Test for Neutralization Number of Petroleum Products by Electrometric Titration. Report of Committee D-2, Appendix II, 342.

Power Factor.

Measurements of Power Factor and Dielectric Constant at Ultra High Frequencies—K. G. Coutlee, R. F. Field, E. O. Hausmann, Thomas Hazen and Harry R. Meahl, 1172.

- Report on Round-Robin Tests of Power Factor and Dielectric Constant for Glass—Philip A. Richards, 1183.

Presidential Address.

- Speed, Specifications, and Safety. Annual Address by the President, W. M. Barr, 38.

Publications.

- See **Papers and Publications.**

Punching Quality Test.

- An Investigation of Punching Quality of Laminated Phenolic Sheet. Report of Committee D-9, Appendix II, 403.

Q

Quartz.

- Measurements of Power Factor and Dielectric Constant at Ultra High Frequencies—K. G. Coutlee, R. F. Field, E. O. Hausmann, Thomas Hazen and Harry R. Meahl, 1172.

Quicklime.

- See **Lime.**

R

Radiography.

- The Effect of Shot Blasting and Its Bearing on Fatigue—J. M. Lessells and W. M. Murray, 659. Discussion, 674.
Metallography. Report of Committee E-4, 502.
Natural and Synthetic Rubber. Sixteenth Edgar Marburg Lecture—Harry L. Fisher, 521.

Radio Tube Materials.

- See **Electrical-Resistance and Heating Alloys**

Rate of Loading.

- The Effect of Rate of Loading on Tensile Strength of Cord and Yarn—M. Casticum and A. N. Benson, 1214.

Rayon.

- Textile Materials. Report of Committee D-13, 440.

Recovered Asphalt.

- The Influence of Recovery Temperature on the Ductility of the Recovered Asphalt—Carl Bussow, 1131.

Refractories.

- Refractories. Report of Committee C-8, 280.

Research.

- Annual Report of the Executive Committee, 43.
Effect of Temperature on the Properties of Metals. Report of Joint Research Committee, 154.
The Effect of Type of Testing Machine on Fatigue Test Results. Report of the Research Committee on Fatigue of Metals, Appendix, 133. Discussion, 151.
Fatigue of Metals. Report of the Research Committee, 132.
Research. Report of Committee E-9, 507.

Resins.

- See also **Plastics; Rosin; Shellac; Soaps and Detergents; Varnish.**
Proposed Methods for Identification of Finishes on Textiles (Qualitative). Report of Committee D-13, Appendix II, 455.

Resistance Alloys.

- See **Electrical-Resistance and Heating Alloys.**

Road Materials.

- See also **Aggregates, Asphalt; Brick; Cement, Concrete; Soils.**
Proposed Definitions of Terms and Symbols Relating to Soil Mechanics. Report of Committee D-18, Appendix I, 460.
Proposed Method for Conversion of Kinematic Viscosity to Saybolt Furol Viscosity. Report of Committee D-2, Appendix I, 341.
Proposed Method of Test for Moisture-Density Relations of Soil. Report of Committee D-18, Appendix II, 467.
Road and Paving Materials. Report of Committee D-4, 365.
Soils for Engineering Purposes. Report of Committee D-18, 459.

Roofing Materials.

- Bituminous Waterproofing and Roofing Materials. Report of Committee D-8, 379.
Proposed Specifications for Coal-Tar Pitch for Steep Built-Up Roofs, Dampproofing, and Waterproofing. Report of Committee D-8, Appendix, 387.

Rosin.

Naval Stores. Report of Committee D-17, 457.

Rubber Products.

Measurements of Power Factor and Dielectric Constant at Ultra High Frequencies—K. G. Coutlee, R. F. Field, E. O. Hausmann, Thomas Hazen and Harry R. Meahl, 1172.

Natural and Synthetic Rubbers. Sixteenth Edgar Marburg Lecture—Harry L. Fisher, 521.

Research. Report of Committee E-9, 507.

Rubber Products. Report of Committee D-11, 422.

Rusting.

An Equation Representing the Rate of Development of Rust on Galvanized Iron Sheets as Estimated by the A.S.T.M. Test—J. B. Austin, 766. Discussion, 775.

Preparation and Painting of Structural Iron and Steel. Report of Subcommittee XXIX, Committee D-1, 322.

S**Safety.**

Speed, Specifications, and Safety. Annual Address by the President, W. M. Barr, 38.

Sampling.

The Sampling of Steam and Boiler Water—A. R. Belyea and A. H. Moody, 1264. Discussion, 1274.

Sea Water Corrosion.

See Corrosion.

Sedimentation Method.

Properties of Limes and Lime Mortars—Howard R. Staley, 975. Discussion, 986.

Summary of Proceedings of the Washington Spring Meeting — Symposium on New Methods for Particle Size Determinations in the Subsieve Range, 1341.

Sewer Pipe.

See Pipe and Piping Materials.

Shear Testing.

Shear Strength of Molded Plastic Materials—John Delmonte. To be published in ASTM BULLETIN, No. 114, January, 1942.

Sheet.

An Investigation of Punching Quality of Laminated Phenolic Sheet. Report of Committee D-9, Appendix II, 403.

Shellac.

Paint, Varnish, Lacquer, and Related Products. Report of Committee D-1, 311.

Shingles.

Bituminous Waterproofing and Roofing Materials. Report of Committee D-8, 379.

Shipping Containers.

Paper and Paper Products. Report of Committee D-6, 375.

Shipping Containers. Report of Committee D-10, 421.

Shot Blasting.

The Effect of Shot Blasting and Its Bearing on Fatigue—J. M. Lessells and W. M. Murray—659. Discussion, 674.

Shrinkage.

Concrete Under Sustained Working Loads; Evidence that Shrinkage Dominates Time Yield—G. A. Maney, 1021. Discussion, 1031.

Silver.

Mobilizing Materials for Defense—John H. Van Deventer. Published in ASTM BULLETIN, No. 111, August, 1941, p. 19.

Slate.

Natural Building Stones. Report of Committee C-18, 308.

Soaps and Detergents.

Soaps and Detergents. Report of Committee D-12, 432.

Sodium Sulfate Test.

The Effect of Fine Aggregate on the Durability of Mortars—C. A. Hughes and Kenneth A. Andersen, 987.

Softening Point Test.

The Influence of Recovery Temperature on the Ductility of the Recovered Asphalt—Carl Bussow, 1131.

Naval Stores. Report of Committee D-17, 457.

Research. Report of Committee E-9, 507.

Soils.

The Measurement of Earth Pressures on the Chicago Subway—Ralph E. Peck. Published in ASTM BULLETIN, No. 111, August, 1941, p. 25.

Proposed Definitions of Terms and Symbols Relating to Soil Mechanics. Report of Committee D-18, Appendix I, 460.

Proposed Method of Test for Moisture-Density Relations of Soil. Report of Committee D-18, Appendix II, 467.

Soils for Engineering Purposes. Report of Committee D-18, 459.

Sonic Methods.

Discussion of Dynamic Methods of Testing Concrete with Suggestions for Standardization—Leonard Obert and Wilbur I. Duvall, 1053. Discussion, 1071.

Soundness Testing.

The Effect of Fine Aggregate on the Durability of Mortars—C. A. Hughes and Kenneth A. Andersen, 987.

Spectrographic Analysis.

Spectrographic Analysis. Report of Committee E-2, 498.

Spectrophotometry.

Summary of Proceedings of the Washington Spring Meeting—Symposium on Color—Its Specification and Use in Evaluating the Appearance of Materials, 1342.

Speed of Testing.

Effect of Rate of Strain on Yield Strength, Tensile Strength, Elongation, and Reduction of Area in Tension Tests, P. G. Jones and H. F. Moore. Report of Committee E-1, Appendix II, 488.

Mechanical Tests of Cellulose Acetate—William N. Findley, 1231. Discussion, 1244.

Methods of Testing. Report of Committee, E-1, 475.

Sponge Rubber.

See Rubber Products.

Spot Test.

Fundamental Significance of Oliensis Spot Test—Quantitative Tests for Homogeneity—G. L. Oliensis, 1108. Discussion, 1123.

Springs.

Research. Report of Committee E-9, 507.

Stainless Steel.

See also Alloy Steel; Corrosion-Resisting Alloy Steels.

The Sampling of Steam and Boiler Water—A. R. Belyea and A. H. Moody, 1264. Discussion, 1274.

The Stress-Strain Characteristics of Cold-Rolled Austenitic Stainless Steels in Compression as Determined by the Cylinder Test Method—Russell Franks and W. O. Binder, 629.

Standardization.

Annual Report of the Executive Committee, 43.

Speed, Specifications, and Safety. Annual Address by the President, W. M. Barr, 38.

Standards. Report of Committee E-10, 513.

Summary of the Proceedings of the Forty-fourth Annual Meeting, 1.

Statistical Analysis.

Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 172.

Steam Purity.

Symposium on Problems and Practice in Determining Steam Purity by Conductivity Methods:

Introduction—R. E. Hall, 1261.

The Sampling of Steam and Boiler Water—A. R. Belyea and A. H. Moody, 1264. Discussion, 1274.

Experimental Methods for Determining Conductivity Corrections for Dissolved Gases in Steam Condensate—S. F. Whirl and W. A. Lower, 1277. Discussion, 1296.

Calculation of Corrections to Conductivity Measurements for Dissolved Gases—D. S. McKinney, 1285. Discussion, 1296.

The Degassification of Steam Samples for Conductivity Tests—P. B. Place, 1302. Discussion, 1313.

A New Type of Conductivity Apparatus for Use with Boiler Waters and Steam Samples—A. R. Mumford, 1314. Discussion, 1337.

Conductivity Cells and Electrical Measuring Instruments—C. E. Kaufman, 1326. Discussion, 1337.

Combined Bibliography, 1338.

Steel.

- An Accelerated Atmospheric Corrosion Test—H. Pray and J. L. Gregg, 758.
- Addition of Bismuth for Producing Free-Machining Stainless Steels—H. Pray, R. S. Peoples, and F. W. Fink, 646. Discussion, 656.
- Chemical Analysis of Metals. Report of Committee E-3, 500.
- Compression and Tension Tests of Structural Alloys—Bruce Johnston and Francis Opila, 552. Discussion, 571.
- Corrosion of Iron and Steel. Report of Committee A-5, 96.
- The Effect of Carbide Spheroidization upon the Creep Strength of Carbon-Molybdenum Steel—S. H. Weaver, 608. Discussion, 628.
- Effect of Rate of Strain on Yield Strength, Tensile Strength, Elongation, and Reduction of Area in Tension Tests, P. G. Jones and H. F. Moore. Report of Committee E-1, Appendix II, 488.
- The Effect of Shot Blasting and Its Bearing on Fatigue—J. M. Lessells and W. M. Murray, 659. Discussion, 674.
- Effect of Specimen Shape and Size on Measured Values of Tensile Properties, G. F. Jenks. Report of Committee E-1, Appendix I, 483.
- Effect of Temperature on the Properties of Metals. Report of Joint Research Committee, 154.
- The Effect of Type of Testing Machine on Fatigue Test Results. Report of the Research Committee on Fatigue of Metals, Appendix, 133. Discussion, 151.
- The Fabrication of Carbon-Molybdenum Piping for High-Temperature Service—R. W. Emerson, 579. Discussion, 605.
- Fatigue Comparison of 7-in. Diameter Solid and Tubular Axles—O. J. Horger and T. V. Buckwalter, 682. Discussion, 694.
- Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 101.
- Iron-Chromium, Iron-Chromium-Nickel and Related Alloys. Report of Committee A-10, 128.
- Magnetic Properties. Report of Committee A-6, 124.

Metallography. Report of Committee E-4, 502.

Preparation and Painting of Structural Iron and Steel. Report of Subcommittee XXIX, Committee D-1, 322.

Proposed Revisions in Standards for Steel. Report of Committee A-1, Appendix, 75.

Record of failures in atmospheric tests at Annapolis of No. 22-gage copper-bearing and non-copper-bearing corrugated black sheets, Report of Committee A-5, 98.

The Sampling of Steam and Boiler Water—A. R. Belyea and A. H. Moody, 1264. Discussion, 1274.

Steel. Report of Committee A-1, 68.

The Stress-Strain Characteristics of Cold-Rolled Austenitic Stainless Steels in Compression as Determined by the Cylinder Test Method—Russell Franks and W. O. Binder, 629.

Young's Modulus of Elasticity and Some Related Properties of Graphitic Materials—H. A. Schwartz and C. H. Junge, 816. Discussion, 824.

Stone.

See also **Aggregates.**

Natural Building Stones. Report of Committee C-18, 308.

Strain Hardening.

The Strain Hardening of Gray Cast Iron—John Sanford Peck, 811. Discussion, 815.

Stripping Test.

A Method for the Testing of Adhesive Tape—William C. Geer and W. Burton Wescott, 1217.

Structural Clay Tile.

See **Tile.**

Subway Construction.

The Measurement of Earth Pressures on the Chicago Subway—Ralph B. Peck. Published in ASTM BULLETIN, No. 111, August, 1941, p. 25.

Summary of Proceedings.

Summary of the Proceedings of the Forty-fourth Annual Meeting, 1.

Surface Area.

Summary of Proceedings of the Washington Spring Meeting — Symposium on New

Methods for Particle Size Determinations in the Subsieve Range, 1341.

Symbols.

See **Nomenclature.**

Synthetic Rubber.

Natural and Synthetic Rubbers. Sixteenth Edgar Marburg Lecture—Harry L. Fisher, 521.

T

Tape.

A Method for the Testing of Adhesive Tape—William C. Geer and W. Burton Wescott, 1217.

Tar.

See **Road Materials; Waterproofing Materials.**

Temperature, Effect of.

The Effect of Carbide Spheroidization upon the Creep Strength of Carbon-Molybdenum Steel—S. H. Weaver, 608. Discussion, 628.

Effect of Temperature on the Properties of Metals. Report of Joint Research Committee, 154.

Electrical-Heating, Electrical-Resistance and Electric-Furnace Alloys. Report of Committee B-4, 177.

The Fabrication of Carbon-Molybdenum Piping for High-Temperature Service—R. W. Emerson, 579. Discussion, 605.

Factors Influencing Creep and Cold Flow of Plastics—J. Delmonte and W. Dewar. Published in ASTM BULLETIN, No. 112, October, 1941, p. 35. Discussion, p. 41.

Fatigue and Static Load Tests of a High-Strength Cast Iron at Elevated Temperatures—W. Leighton Collins and James O. Smith, 797. Discussion, 808.

A New High-Temperature Fatigue Machine—W. P. Welch and W. A. Wilson, 733. Discussion, 746.

Tension Testing.

Addition of Bismuth for Producing Free-Machining Stainless Steels—H. Pray, R. S. Peoples, and F. W. Fink, 646. Discussion, 656.

Comparative Value of Arsenic, Antimony, and Phosphorus in Preventing Dezincification—W. Lynes, 859. Discussion, 880.

Compression and Tension Tests of Structural Alloys—Bruce Johnston and Francis Opila, 552. Discussion, 571.

The Divider Method in Tension Testing of Magnesium-Base Alloys, H. W. Schmidt. Report of Committee B-7, Appendix III, 219.

The Effect of Rate of Loading on Tensile Strength of Cord and Yarn—M. Castricum and A. N. Benson, 1214.

Effect of Rate of Strain on Yield Strength, Tensile Strength, Elongation, and Reduction of Area in Tension Tests, P. G. Jones and H. F. Moore. Report of Committee E-1, Appendix II, 488.

Effect of Specimen Shape and Size on Measured Values of Tensile Properties, G. F. Jenks. Report of Committee E-1, Appendix I, 483.

Effect of Temperature on the Properties of Metals. Report of Joint Research Committee, 154.

Fatigue Tests on Some Copper Alloys—A. R. Anderson and Cyril Stanley Smith, 849. Discussion, 858.

Mechanical Tests of Cellulose Acetate—William N. Findley, 1231. Discussion, 1244.

Pitting and Its Effect on the Fatigue Limit of Steels Corroded Under Various Conditions—D. J. McAdam, Jr., and G. W. Geil, 696. Discussion, 732.

The Properties of Certain Lead-Bearing Alloys—Albert J. Phillips, Albert A. Smith, Jr., and Paul A. Beck, 886. Discussion, 894.

The Stress-Strain Characteristics of Cold-Rolled Austenitic Stainless Steels in Compression as Determined by the Cylinder Test Method—Russell Franks and W. O. Binder, 629.

The Tensile Properties of Some Copper Alloys—Cyril Stanley Smith and R. W. Van Wagner, 825. Discussion, 846.

Young's Modulus of Elasticity and Some Related Properties of Graphitic Materials—H. A. Schwartz and C. H. Junge, 816. Discussion, 824.

Testing Apparatus.

See also **Testing, Physical Methods of.**

Conductivity Cells and Electrical Measuring Instruments—C. E. Kaufman, 1326. Discussion, 1337.

Testing Apparatus (Continued):

The Degasification of Steam Samples for Conductivity Tests—P. B. Place, 1302. Discussion, 1313.

The Effect of Type of Testing Machine on Fatigue Test Results. Report of the Research Committee on Fatigue of Metals, Appendix, 133. Discussion, 151.

Methods of Testing. Report of Committee E-1, 475.

A New High-Temperature Fatigue Machine—W. P. Welch and W. A. Wilson, 733. Discussion, 746.

A New Type of Conductivity Apparatus for Use with Boiler Waters and Steam Samples—A. R. Mumford, 1314. Discussion, 1337.

Testing Material in the Resonance Range—R. K. Bernhard, 747.

Testing, Physical Methods of.

(Papers and reports covering methods of analysis, sampling, testing, etc., are indexed under the materials and subjects covered by them.)

Methods of Testing. Report of Committee E-1, 475.

Appendix I—Effect of Specimen Shape and Size on Measured Values of Tensile Properties—G. F. Jenks, 483.

Appendix II—Effect of Rate of Strain on Yield Strength, Tensile Strength, Elongation, and Reduction of Area in Tension Tests—P. G. Jones and H. F. Moore, 488.

Appendix III—Methods of Testing Volumetric Glassware—J. J. Moran, 492.

Test Specimens.

Effect of Specimen Shape and Size on Measured Values of Tensile Properties, G. F. Jenks. Report of Committee E-1, Appendix I, 483.

Textile Materials.

The Effect of Rate of Loading on Tensile Strength of Cord and Yarn—M. Castricum and A. N. Benson, 1214.

Proposed Methods for Identification of Finishes on Textiles (Qualitative). Report of Committee D-13, Appendix II, 455.

Proposed Revisions in Standards for Textile Materials. Report of Committee D-13, Appendix I, 449.

Textile Materials. Report of Committee D-13, 440.

Thermal Insulating Materials.

Thermal Insulating Materials. Report of Committee C-16, 305.

Thermometers, A.S.T.M.

Methods of Testing. Report of Committee E-1, 475.

Thermosetting and Thermoplastic Materials
See Plastics.**Thermostat Metals.**

Electrical-Heating, Electrical-Resistance and Electric-Furnace Alloys. Report of Committee B-4, 177.

Thompson Award.

Second Sanford E. Thompson Award. Summary of Proceedings of the Forty-fourth Annual Meeting, 35; Report of Committee C-9 on Concrete and Concrete Aggregates, 286.

Tile.

Manufactured Masonry Units. Report of Committee C-15, 302.

Timber.

Fire Tests of Materials and Construction. Report of Committee C-5, 235.

Report on Comparative Fire Tests of Treated and Untreated Wood. Report of Subcommittee II, Committee C-5, 238.

Tests of Glued Laminated Wood Beams Impregnated with Creosote—William A. Oliver, 1198. Discussion, 1212.

Timber. Report of Committee D-7, 378.

Tin.

Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 172.

Mobilizing Materials for Defense—John H. Van Deventer. Published in ASTM BULLETIN, No. 111, August, 1941, p. 19.

The Properties of Certain Lead-Bearing Alloys—Albert J. Phillips, Albert A. Smith, Jr., and Paul A. Beck, 886. Discussion, 894.

The Sampling of Steam and Boiler Water—A. R. Belyea and A. H. Moody, 1264. Discussion, 1274.

Transformer Oils.

Electrical Insulating Materials. Report of Committee D-9, 389.

Proposed Methods of Test for Sludge Formation in Mineral Transformer Oil. Report of Committee D-9, Appendix III, 413.

Transportation.

Speed, Specifications, and Safety. Annual Address by the President, W. M. Barr, 38.

Tristimulus Colorimetry.

Summary of Proceedings of the Washington Spring Meeting—Symposium on Color—Its Specification and Use in Evaluating the Appearance of Materials, 1342.

Tungsten.

Mobilizing Materials for Defense—John H. Van Deventer. Published in ASTM BULLETIN, No. 111, August, 1941, p. 19.

V

Varnish.

See also **Electrical Insulating Materials**.
Paint, Varnish, Lacquer, and Related Products. Report of Committee D-1, 311.

Vibration Testing.

Mechanical Tests of Cellulose Acetate—William N. Findley, 1231. Discussion, 1244.

Viscosity.

Petroleum Products and Lubricants. Report of Committee D-2, 330.
Proposed Method for Conversion of Kinematic Viscosity to Saybolt Furol Viscosity. Report of Committee D-2, Appendix I, 341.

W

Water.

Boiler Feedwater Studies. Report of Joint Research Committee. Published in A.S.T.M. BULLETIN, No. 111, August, 1941, p. 56.
Studies on the Measurement of Water Vapor in Gases—F. C. Todd and A. W. Gauger, 1134.
Symposium on Problems and Practice in Determining Steam Purity by Conductivity Methods:
Introduction—R. E. Hall, 1261.

The Sampling of Steam and Boiler Water—A. R. Belyea and A. H. Moody, 1264. Discussion, 1274.

Experimental Methods for Determining Conductivity Corrections for Dissolved Gases in Steam Condensate—S. F. Whirl and W. A. Lower, 1277. Discussion, 1296.

Calculation of Corrections to Conductivity Measurements for Dissolved Gases—D. S. McKinney, 1285. Discussion, 1296.

The Degasification of Steam Samples for Conductivity Tests—P. B. Place, 1302. Discussion, 1313.

A New Type of Conductivity Apparatus for Use with Boiler Waters and Steam Samples—A. R. Mumford, 1314. Discussion, 1337.

Conductivity Cells and Electrical Measuring Instruments—C. E. Kaufman, 1326. Discussion, 1337.

Combined Bibliography, 1338.

Water for Industrial Uses. Report of Committee D-19, 469.

Waterproofing Materials.

Bituminous Waterproofing and Roofing Materials. Report of Committee D-8, 379.
Proposed Specifications for Coal-Tar Pitch for Steep Built-Up Roofs, Dampproofing, and Waterproofing. Report of Committee D-8, Appendix, 387.

Weathering.

See also **Corrosion; Freezing-and-Thawing Tests**.

An Accelerated Atmospheric Corrosion Test—H. Pray and J. L. Gregg, 758.

Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 172.

Corrosion of Non-Ferrous Metals and Alloys, Report of Committee B-3, 169.

The Effect of Fine Aggregate on the Durability of Mortars—C. A. Hughes and Kenneth A. Andersen, 987.

Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 101.

Methods of Testing. Report of Committee E-1, 475.

Preparation and Painting of Structural Iron and Steel. Report of Subcommittee XXIX, Committee D-1, 322.

Weathering (Continued):

Record of failures in atmospheric tests at Annapolis of No. 22-gage copper-bearing and non-copper-bearing corrugated black sheets, Report of Committee A-5, 98.

Welding.

Research. Report of Committee E-9, 507.

White Cast Iron.

Young's Modulus of Elasticity and Some Related Properties of Graphitic Materials—H. A. Schwartz and C. H. Junge, 816.
Discussion, 824.

Wire.

See also **Cable; Copper Wire; Electrical-Resistance and Heating Alloys; Steel; Trolley Wire.**

Copper and Copper-Alloy Wires for Electrical Conductors. Report of Committee B-1, 159.

Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 101.

Influence of External Stresses on Tendency of Brass Wires to Stress-Corrosion Crack, as Indicated by the Mercurous Nitrate Test—Harry P. Croft, 905. Discussion, 927.

Wood.

See **Timber.**

Wool.

Textile Materials. Report of Committee D-13, 440.

Workability.

A Device for Studying the Workability of Concrete—T. C. Powers and E. M. Wiler, 1003. Discussion, 1016.

Wrought Iron.

Magnetic Properties. Report of Committee A-6, 124.

Record of failures in atmospheric tests at Annapolis of No. 22-gage copper-bearing and non-copper-bearing corrugated black sheets, Report of Committee A-5, 98.

X**X-ray.**

See **Metallography; Radiography.**

Y**Yarns.**

See also **Textile Materials.**

The Effect of Rate of Loading on Tensile Strength of Cord and Yarn—M. Castricum and A. N. Benson, 1214.

Yield Strength.

Effect of Rate of Strain on Yield Strength, Tensile Strength, Elongation, and Reduction of Area in Tension Tests, P. G. Jones and H. F. Moore. Report of Committee E-1, Appendix II, 488.

Effect of Specimen Shape and Size on Measured Values of Tensile Properties, G. F. Jenks. Report of Committee E-1, Appendix I, 483.

Z**Zinc.**

Atmospheric Corrosion. Report of Subcommittee VI, Committee B-3, 172.

Die-Cast Metals and Alloys. Report of Committee B-6, 199.

The Finishing of Zinc-Base Alloy Die Castings—E. A. Anderson, 949.

Mobilizing Materials for Defense—John H. Van Deventer. Published in ASTM BULLETIN, No. 111, August, 1941, p. 19.

Zinc Coatings.

Corrosion of Iron and Steel. Report of Committee A-5, 96.

Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 101.

AUTHOR INDEX

VOLUME 41

A

- Abrams, Duff A.**
Discussion, 232.
- Adams, J. H.**
Discussion, 1258, 1259.
- Adams, Robert C.**
Performance Specifications for Greases, 1095.
Discussion, 1105, 1106.
- Anderegg, F. O.**
Discussion, 986.
- Andersen, Kenneth A.**
The Effect of Fine Aggregate on the Durability of Mortars, 987.
- Anderson, A. R.**
Fatigue Tests on Some Copper Alloys, 849.
- Anderson, E. A.**
The Finishing of Zinc-Base Alloy Die Castings, 949.
- Anderson, R. P.**
Report of Committee D-2 on Petroleum Products and Lubricants, 330.
Report of Committee E-10 on Standards, 513.
- Aufderhaar, H. C.**
Discussion, 658.
- Austin, J. B.**
An Equation Representing the Rate of Development of Rust on Galvanized Iron Sheets as Estimated by the A.S.T.M. Test, 766.
Discussion, 778.

B

- Baker, E. M.**
Report of Committee B-8 on Electrodeposited Metallic Coatings, 222.
- Baker, M. D.**
Discussion, 1299.
- Ball, H. J.**
Report of Committee D-13 on Textile Materials, 440.
- Barr, W. M.**
Annual Report of the Executive Committee, 43.

Speed, Specifications, and Safety. Annual Address by the President, 38.

- Barry, F. M.**
Discussion, 881.
- Basch, D.**
A High Strength Aluminum Sand Casting Alloy not Requiring Solution Treatment and Quench. Appendix II, Report of Committee B-7, 216.
- Bash, F. E.**
Report of Committee B-4 on Electrical-Heating, Electrical-Resistance, and Electric-Furnace Alloys, 177.
- Bates, P. H.**
Report of Committee C-1 on Cement, 224.
- Beck, Paul A.**
The Properties of Certain Lead-Bearing Alloys, 886.
Discussion, 896.
- Belyea, A. R.**
The Sampling of Steam and Boiler Water, 1264.
- Benson, A. N.**
The Effect of Rate of Loading on Tensile Strength of Cord and Yarn, 1214.
- Bernhard, R. K.**
Testing Material in the Resonance Range, 747.
- Bigler, H. P.**
Report of Committee A-1 on Steel, 68.
- Binder, W. O.**
The Stress-Strain Characteristics of Cold-Rolled Austenitic Stainless Steels in Compression as Determined by the Cylinder Test Method, 629.
- Blum, W.**
Discussion, 775.
- Bolton, J. W.**
Report of Committee A-3 on Cast Iron, 85.
Report of Joint Research Committee on Effect of Temperature on the Properties of Metals, 154.

- Bowman, J. J.**
Report of Committee E-4 on Metallography, 502.
- Boyd, T. A.**
Report of Committee D-2 on Petroleum Products and Lubricants, 330.
Report of Sectional Committee Z11 on Petroleum Products and Lubricants, 360.
- Bright, H. A.**
Report of Committee E-3 on Chemical Analysis of Metals, 500.
- Brumbaugh, W. Vernon**
Report of Committee C-7 on Lime, 277.
- Buckwalter, T. V.**
Fatigue Comparison of 7-in. Diameter Solid and Tubular Axles, 682.
- Burgwin, S. L.**
Measurement of Core Loss and A. C. Permeability with the 25-cm. Epstein Frame, 779.
Discussion, 796.
- Bussow, Carl.**
The Influence of Recovery Temperature on the Ductility of the Recovered Asphalt, 1131.
- C**
- Carman, P. C.**
Shape and Surface of Fine Powders by the Permeability Methods. Summary of Proceedings of the Washington Spring Meeting—Symposium on New Methods for Particle Size Determinations in the Sub-sieve Range, 1341.
- Carpenter, Arthur W.**
Report of Committee D-11 on Rubber Products, 422.
- Castricum, M.**
The Effect of Rate of Loading on Tensile Strength of Cord and Yarn, 1214.
- Chapman, Cloyd M.**
Report of Committee E-8 on Nomenclature and Definitions, 504.
- Churchill, H. V.**
Report of Committee E-2 on Spectrographic Analysis, 498.
- Clark, H. H.**
Discussion, 675.
- Clark, Walton C.**
Report of Committee C-18 on Natural Building Stones, 308.
- Collins, W. Leighton.**
Fatigue and Static Load Tests of a High-Strength Cast Iron at Elevated Temperatures, 797.
Discussion, 574, 810.
- Comstock, G. F.**
Report of Subcommittee VII, Committee A-3, on Microstructure of Cast Iron, 90.
- Conner, R. M.**
Report of Committee D-3 on Gaseous Fuels, 362.
- Cope, E. T.**
Report of Committee C-16 on Thermal Insulating Materials, 305.
- Coutlee, K. G.**
Measurements of Power Factor and Dielectric Constant at Ultra High Frequencies, 1172.
- Crocker, Sabin.**
Discussion, 605.
- Croft, Harry P.**
Influence of External Stresses on Tendency of Brass Wires to Stress-Corrosion Crack, as Indicated by the Mercurous Nitrate Test, 905.
Discussion, 927, 929.
- Currie, L. M.**
Discussion, 1244.
Discussion published in ASTM BULLETIN, No. 112, October, 1941, p. 42.
- Curtis, H. L.**
Report of Sectional Committee C59 on Electrical Insulating Materials, 419.
- D**
- Dahill, Edward**
Report of Committee D-10 on Shipping Containers, 421.
- Davis, C. H.**
Report of Committee B-5 on Copper and Copper Alloys, Cast and Wrought, 182.
- Davis, E. A.**
Discussion, 571.
- Davis, R. E.**
Discussion, 1034.
- Dean, G. E.**
Report of Committee B-1 on Copper and Copper-Alloy Wires for Electrical Conductors, 159.
- Delmonte, John.**
Factors Influencing Creep and Cold Flow of Plastics. Published in ASTM BULLETIN, No. 112, October, 1941, p. 35.

- Shear Strength of Molded Plastic Materials.
To be published in ASTM BULLETIN,
No. 114, January, 1942.
Discussion published in ASTM BULLETIN,
No. 112, October, 1941, p. 42.
- Dewar, W.**
Factors Influencing Creep and Cold Flow of
Plastics. Published in ASTM BULLETIN,
No. 112, October, 1941, p. 35.
Discussion published in ASTM BULLETIN,
No. 112, October, 1941, p. 42.
- Dix, E. H., Jr.**
Discussion, 928.
- Dolan, T. J.**
Discussion, 677.
- Doll, Theodore**
Report of Committee C-13 on Concrete Pipe,
297.
- Donoho, C. K.**
Discussion, 809.
- Draffin, Jasper O.**
Discussion, 808.
- Durelli, A. J.**
Discussion, 1048.
- Duvall, Wilbur I.**
Discussion of Dynamic Methods of Testing
Concrete with Suggestions for Standardiza-
tion, 1053.
Discussion, 1071.
- E**
- Edwards, Junius D.**
Finishes for Aluminum Die Castings, 931.
- Eickhoff, A. J.**
Report of Subcommittee XXIX, Committee
D-1, on Preparation and Painting of Struc-
tural Iron and Steel, 322.
- Emerson, R. W.**
The Fabrication of Carbon-Molybdenum
Piping for High-Temperature Service, 579.
Discussion, 607.
- Emley, W. E.**
Report of Committee D-20 on Plastics, 472.
- Emmett, P. H.**
A New Method for Measuring the Surface
Areas of Finely Divided Materials and for
Determining the Size of Particles. Sum-
mary of Proceedings of the Washington
Spring Meeting—Symposium on New
Methods for Particle Size Determinations
in the Subsieve Range, 1342.
- Evans, W. A.**
Report of Committee D-20 on Plastics, 472.
- Ewing, Warren W.**
Specific Surface of Pigments by Adsorption
from Solution. Summary of Proceedings
of the Washington Spring Meeting—Sym-
posium on New Methods for Particle Size
Determinations in the Subsieve Range,
1342.
- F**
- Fellows, C. H.**
Report of the Joint Research Committee on
Boiler Feedwater Studies to the American
Society for Testing Materials. Published
in ASTM BULLETIN, No. 111, August,
1941, p. 56.
- Field, R. F.**
Measurements of High Power Factor and
Dielectric Constant at Ultra High Fre-
quencies, 1172.
- Fieldner, A. C.**
Report of Committee D-5 on Coal and Coke,
370.
- Findley, William N.**
Mechanical Tests of Cellulose Acetate, 1231.
Discussion, 1244.
- Fink, F. W.**
Addition of Bismuth for Producing Free-
Machining Stainless Steels, 646.
- Fink, G. J.**
Discussion, 986.
- Finkeldey, W. H.**
Report of Committee A-5 on Corrosion of
Iron and Steel, 96.
Report of Subcommittee VI, Committee B-3,
on Atmospheric Corrosion, 172.
- Fisher, Harry L.**
Natural and Synthetic Rubbers: Edgar Mar-
burg Lecture, 521.
- Foley, F. B.**
Discussion, 658.
- Foote, J. H.**
Report of Committee B-1 on Copper and
Copper-Alloy Wires for Electrical Conduc-
tors, 159.
- Franks, Russell.**
The Stress-Strain Characteristics of Cold-
Rolled Austenitic Stainless Steels in Com-
pression as Determined by the Cylinder
Test Method, 629.
- Freeman, J. R., Jr.**
Discussion, 846.
- Fulweiler, W. H.**
Report of Committee E-1 on Methods of
Testing, 475.

G

- Galloway, T. R.**
Report of Committee A-5 on Corrosion of Iron and Steel, 96.
- Gauger, A. W.**
Report of Committee D-3 on Gaseous Fuels, 362.
Studies on the Measurement of Water Vapor in Gases, 1134.
Discussion published in ASTM BULLETIN, No. 112, October, 1941, p. 33.
- Gause, G. R.**
Discussion, 1090.
- Geer, William C.**
A Method for the Testing of Adhesive Tape, 1217.
- Gell, G. W.**
Pitting and Its Effect on the Fatigue Limit of Steels Corroded Under Various Conditions, 696.
- Gibbs, Donald L.**
Discussion, 1259.
- Gillett, H. W.**
Discussion, 894.
- Godfrey, H. J.**
Discussion, 573.
- Godlove, I. H.**
Color Standards for Opaque Materials. Summary of Proceedings of the Washington Spring Meeting—Symposium on Color, 1342.
- Greenall, C. H.**
Report of Committee B-5 on Copper and Copper Alloys, Cast and Wrought, 182.
- Gregg, J. L.**
An Accelerated Atmospheric Corrosion Test, 758.

H

- Hall, R. E.**
Introduction to Symposium on Problems and Practice in Determining Steam Purity by Conductivity Methods, 1261.
Report of Committee D-19 on Water for Industrial Uses, 469.
Discussion, 1300.
- Hanlon, R. T.**
Discussion, 1337.
- Hardgrove, R. M.**
Discussion, 1168.
- Harnden, G. H.**
Report of Committee D-6 on Paper and Paper Products, 375.
- Harvey, Dean.**
Report of Committee B-4 on Electrical-Heating, Electrical-Resistance, and Electric-Furnace Alloys, 177.
- Hausmann, E. O.**
An Investigation of Punching Quality of Laminated Phenolic Sheet. Appendix II, Report of Committee D-9, 403.
Measurements of Power Factor and Dielectric Constant at Ultra High Frequencies, 1172.
- Hayden, O. M.**
Report of Committee D-11 on Rubber Products, 422.
- Hazen, Thomas.**
Measurements of Power Factor and Dielectric Constant at Ultra High Frequencies, 1172.
- Hecht, Max.**
Report of Committee D-19 on Water for Industrial Uses, 469.
Discussion, 1274.
- Herman, A.**
Method for Testing Odor-Taste Contamination Tendencies of Phenolic Plastic Closures. Published in ASTM BULLETIN, No. 111, August, 1941, p. 33.
- Hess, R. E.**
Report of Committee E-8 on Nomenclature and Definitions, 504.
Report of Sectional Committee C59 on Electrical Insulating Materials, 419.
Report of Sectional Committee Z11 on Petroleum Products and Lubricants, 360.
- Hillier, James.**
The Electron Microscope in the Determination of Particle Size Characteristics. Summary of Proceedings of the Washington Spring Meeting—Symposium on New Methods for Particle Size Determinations in the Subsieve Range, 1341.
- Hocker, C. D.**
Report of Wire Inspection Committee, Committee A-5, on Field Tests of Wire and Wire Products, 101.
Discussion, 775.
- Hogentogler, C. A.**
Report of Committee D-18 on Soils for Engineering Purposes, 459.
- Holt, Marshall.**
Discussion, 572.

Horger, O. J.

- Fatigue Comparison of 7-in. Diameter Solid and Tubular Axles, 682.
Discussion, 676, 695.

Hubbard, Prévost.

- Report of Committee D-4 on Road and Paving Materials, 365.
Report of Committee D-8 on Bituminous Waterproofing and Roofing Materials, 379.

Hughes, C. A.

- The Effect of Fine Aggregate on the Durability of Mortars, 987.

Hunter, Richard S.

- Photoelectric Tristimulus Colorimetry. Summary of Proceedings of the Washington Spring Meeting—Symposium on Color, 1342.

J**Jackson, F. H.**

- Report of Committee C-9 on Concrete and Concrete Aggregates, 286.

Jamieson, A. L.

- Mercury Cracking Test, Procedure and Control, 897.
Discussion, 929, 930.

Jasper, T. McLean.

- Discussion, 680.

Jenks, G. F.

- Effect of Specimen Shape and Size on Measured Values of Tensile Properties. Appendix, I, Report of Committee E-1, 483.
Report of Committee E-9 on Research, 507.

Johnston, Bruce.

- Compression and Tension Tests of Structural Alloys, 552.
Discussion, 577.

Jones, L. B.

- Discussion, 694.

Jones, P. G.

- Effect of Rate of Strain on Yield Strength, Tensile Strength, Elongation, and Reduction of Area in Tension Tests. Appendix II, Report of Committee E-1, 488.

Judd, Deane B.

- Introduction to Color. Summary of Proceedings of the Washington Spring Meeting—Symposium on Color, 1342.

Junge, C. H.

- Young's Modulus of Elasticity and Some Related Properties of Graphitic Materials, 816.
Discussion, 824.

K**Kanter, J. J.**

- Discussion, 628.

Kaufman, C. E.

- Conductivity Cells and Electrical Measuring Instruments, 1326.

Kenyon, John N.

- Discussion, 815.

Kerr, H. J.

- Report of Joint Research Committee on Effect of Temperature on the Properties of Metals, 154.

- Discussion published in ASTM BULLETIN, No. 112, October, 1941, p. 34.

Keskulla, A. E.

- Finishes for Aluminum Die Castings, 931.

Kessler, D. W.

- Report of Committee C-18 on Natural Building Stones, 308.

Klein, Alexander.

- An Improved Hydrometer Method for Use in Finesness Determinations, 953.

Kline, G. M.

- Resistance of Plastics to Chemical Reagents, 1246.
Discussion, 1244, 1260.

Knopf, C. L.

- Discussion, 1105, 1106.

Krefeld, W. J.

- Report on Comparative Fire Tests of Treated and Untreated Wood, 238.

L**LaQue, F. L.**

- Discussion, 656.

Lessells, J. M.

- The Effect of Shot Blasting and Its Bearing on Fatigue, 659.
Discussion, 151, 573, 680, 732, 746, 895.

Litehiser, R. R.

- Report of Committee C-9 on Concrete and Concrete Aggregates, 286.

Loeb, C. M., Jr.

- Report of Committee A-9 on Ferro-Alloys, 127.

Loving, M. W.

- Report of Committee C-13 on Concrete Pipe, 297.

Lower, W. A.

- Experimental Methods of Determining Conductivity Corrections for Dissolved Gases in Steam Condensate, 1277.
Discussion, 1301.

Lundell, G. E. F.

Report of Committee E-3 on Chemical Analysis of Metals, 500.

Lynes, W.

Comparative Value of Arsenic, Antimony, and Phosphorus in Preventing Dezincification, 859.

Discussion, 883.

M**MacKenzie, J. T.**

Report of Committee A-3 on Cast Iron, 85.

Discussion, 815.

Mains, G. H.

An Investigation of Punching Quality of Laminated Phenolic Sheet. Appendix II, Report of Committee D-9, 403.

Maney, G. A.

Concrete Under Sustained Working Loads; Evidence that Shrinkage Dominates Time Yield, 1021.

Discussion, 1035.

Markwardt, L. J.

Discussion, 1212.

Martin, S. W.

The Determinations of Subsieve Particle Size Distributions by Sedimentation Methods. Summary of Proceedings of the Washington Spring Meeting—Symposium on New Methods for Particle Size Determinations in the Subsieve Range, 1341.

Mayers, M. A.

Discussion published in ASTM BULLETIN, No. 112, October, 1941, pp. 32, 34.

McAdam, D. J., Jr.

Pitting and Its Effect on the Fatigue Limit of Steels Corroded Under Various Conditions, 696.

Discussion, 732.

McBurney, John W.

Effect of Freezing Temperature in Freezing-and-Thawing Tests of Brick, 967.

Report of Committee C-12 on Mortars for Unit Masonry, 295.

McKinney, D. S.

Calculation of Corrections to Conductivity Measurements for Dissolved Gases, 1285.

McKnight, Charles.

Report of Committee A-9 on Ferro-Alloys, 127.

Meahl, Harry R.

Measurements of Power Factor and Dielectric Constant at Ultra High Frequencies, 1172.

Meindl, H. F.

Resistance of Plastics to Chemical Reagents, 1246.

Menzel, C. A.

Discussion, 1034.

Miller, R. P.

Report of Committee C-5 on Fire Tests of Materials and Construction, 235.

Mochel, N. L.

Report of Committee A-1 on Steel, 68.

Report of Joint Research Committee on Effect of Temperature on the Properties of Metals, 154.

Moody, A. H.

The Sampling of Steam and Boiler Water, 1264.

Moore, H. F.

Effect of Rate of Strain on Yield Strength, Tensile Strength, Elongation, and Reduction of Area in Tension Tests. Appendix II, Report of Committee E-1, 488.

Report of Research Committee on Fatigue of Metals, 132.

Discussion, 153, 824, 858.

Discussion published in ASTM BULLETIN, No. 112, October, 1941, p. 41.

Moran, J. J.

Methods of Testing Volumetric Glassware, Appendix III, Report of Committee E-1, 492.

Morey, G. W.

Report of Committee C-14 on Glass and Glass Products, 300.

Morris, Alan.

Discussion, 880.

Mumford, A. R.

A New Type of Conductivity Apparatus for Use with Boiler Waters and Steam Samples, 1314.

Discussion, 1337.

Murray, W. M.

The Effect of Shot Blasting and Its Bearing on Fatigue, 659.

Discussion, 680, 1047.

Myers, J. E.

Report of Committee D-4 on Road and Paving Materials, 365.

N**Nadai, A.**

Discussion, 573.

Navias, L.

Report of Committee C-14 on Glass and Glass Products, 300.

Nelson, W. R.

Report of Committee D-18 on Soils for Engineering Purposes, 459.

Newell, H. D.

Report of Committee A-10 on Iron-Chromium, Iron-Chromium-Nickel, and Related Alloys, 128.

Newlin, J. A.

Report of Committee D-7 on Timber, 378.

Nicholls, P.

Discussion published in ASTM BULLETIN, No. 112, October, 1941, p. 32.

O**Obert, Leonard.**

Discussion of Dynamic Methods of Testing Concrete with Suggestions for Standardization, 1053.

Discussion, 1071.

Oliensis, G. L.

Fundamental Significance of Oliensis Spot Test—Quantitative Tests for Homogeneity, 1108.

Discussion, 1127.

Oliver, William A.

Tests of Glued Laminated Wood Beams Impregnated with Creosote, 1198.

Discussion, 1213.

Opila, Francis.

Compression and Tension Tests of Structural Alloys, 552.

Discussion, 577.

Ostborg, H. N.

A Laboratory Test for the Ignitibility of Coal. Published in ASTM BULLETIN, No. 112, October, 1941, p. 23.

Discussion published in ASTM BULLETIN, No. 112, October, 1941, p. 34.

Owens, F. R.

Discussion, 1300.

P**Painter, R. J.**

Report of Committee A-1 on Steel, 68.

Parker, A. E.

Spectrophotometry and Color Evaluation. Summary of Proceedings of the Washington Spring Meeting—Symposium on Color, 1342.

Parsons, D. E.

Report of Committee C-15 on Manufactured Masonry Units, 302.

Partridge, Everett P.

Discussion, 1296.

Patten, Harrison E.

Performance Specifications for Greases, 1095. Discussion, 1106.

Paul, M. Rea.

Report of Committee D-1 on Paint, Varnish, Lacquer, and Related Products, 311.

Peck, John Sanford.

The Strain Hardening of Gray Cast Iron, 811. Discussion, 815.

Peterson, R. E.

Discussion, 677, 694.

Peck, Ralph B.

The Measurement of Earth Pressures on the Chicago Subway. Published in ASTM BULLETIN, No. 111, August, 1941, p. 25.

Peoples, R. S.

Addition of Bismuth for Producing Free-Machining Stainless Steels, 646.

Phelps, S. M.

Report of Committee C-8 on Refractories, 280.

Phillips, Albert J.

The Properties of Certain Lead-Bearing Alloys, 886.

Discussion, 896.

Pickett, Gerald.

Discussion, 1032, 1071, 1089.

Pilcher, J. M.

A Laboratory Test for the Ignitibility of Coal. Published in ASTM BULLETIN, No. 112, October, 1941, p. 23.

Discussion published in ASTM BULLETIN, No. 112, October, 1941, p. 33.

Pitzer, J. C.

Discussion, 1260.

Place, P. B.

The Degasification of Steam Samples for Conductivity Tests, 1302.

Discussion, 1313.

Place, S. W.

An Investigation of Punching Quality of Laminated Phenolic Sheet. Appendix II, Report of Committee D-9, 403.

Plummer, H. C.

Report of Committee C-12 on Mortars for Unit Masonry, 295.

Powers, T. C.

A Device for Studying the Workability of concrete, 1003.

Discussion, 1020.

Pratt, R. S.

Discussion, 880.

Pray, H.

An Accelerated Atmospheric Corrosion Test, 758.

Addition of Bismuth for Producing Free-Machining Stainless Steels, 646.

R**Reid, L. S.**

Report of Committee D-6 on Paper and Paper Products, 375.

Richards, Philip A.

Report on Round-Robin Tests of Power Factor and Dielectric Constant for Glass, 1183.

Richmond, Joseph C.

Effect of Freezing Temperature in Freezing-and-Thawing Tests of Brick, 967.

Rinker, R. C.

Resistance of Plastics to Chemical Reagents, 1246.

Robinson, H. M.

Report of Committee C-5 on Fire Tests of Materials and Construction, 235.

Rockwood, Nathan C.

Report of Committee C-7 on Lime, 277.

Roller, Paul S.

Surface Area of Portland Cement. Summary of Proceedings of the Washington Spring Meeting—Symposium on New Methods for Particle Size Determinations in the Sub-sieve Range, 1341.

Discussion, 1167.

Romer, J. B.

Report of the Joint Research Committee on Boiler Feedwater Studies to the American Society for Testing Materials. Published in ASTM BULLETIN, No. 111, August, 1941, p. 56.

A Study of the Grindability of Coal and the Fineness of Pulverized Coal when Using the Lea-Nurse Air Permeability Method for Evaluating the Sub-sieve Fractions, 1152.

Discussion, 1170, 1298.

Rosch, S. J.

Discussion, 1259.

Discussion published in ASTM BULLETIN, No. 112, October, 1941, p. 41.

Rosenthal, H.

Mercury Cracking Test, Procedure and Control, 897.

Discussion, 930.

Roundy, P. V.

Surface Area of Portland Cement. Summary of Proceedings of the Washington Spring Meeting—Symposium on New Methods for Particle Size Determinations in the Sub-sieve Range, 1341.

Rowe, H. J.

Report of Committee B-7 on Light Metals and Alloys, Cast and Wrought, 203.

Rutan, E. J.

Report of Committee D-9 on Electrical Insulating Materials, 389.

Rutledge, P. C.

Discussion, 1031.

S**Sanford, R. L.**

Report of Committee A-6 on Magnetic Properties, 124.

Sawyer, Roscoe H.

Hiding Power and Opacity. Summary of Proceedings of the Proceedings of the Washington Spring Meeting—Symposium on Color, 1342.

Schmidt, H. W.

The Divider Method in Tension Testing of Magnesium-Base Alloys. Appendix III, Report of Committee B-7, 219.

Finishing Magnesium Die Castings, 941.

Schwartz, H. A.

Young's Modulus of Elasticity and Some Related Properties of Graphitic Materials, 816.

Discussion, 824.

Schwartz, M. C.

Discussion, 1298, 1313.

Schweim, H. J.

Report of Committee C-11 on Gypsum, 290.

Schweyer, Herbert E.

Methods for Determining Particle Size Distribution. Summary of Proceedings of the Washington Spring Meeting—Symposium on New Methods for Particle Size Determinations in the Sub-sieve Range, 1341.

Scofield, Francis.

Color Specifications of Transparent Materials. Summary of Proceedings of the Washington Spring Meeting—Symposium on Color, 1342.

Scoggin, B. I.

Discussion, 1123.

Scribner, B. F.

Report of Committee E-2 on Spectrographic Analysis, 498.

Selvig, W. A.

Report of Committee D-5 on Coal and Coke, 370.

Discussion published in ASTM BULLETIN, No. 112, October, 1941, p. 33.

Sherman, Ralph A.

A Laboratory Test for the Ignitibility of Coal.

Published in ASTM BULLETIN, No. 112, October, 1941, p. 23.

Discussion, 1168.

Discussion published in ASTM BULLETIN, No. 112, October, 1941, p. 33.

Smith, Albert A., Jr.

The Properties of Certain Lead-Bearing Alloys, 886.

Discussion, 896.

Smith, Cyril Stanley.

Fatigue Tests on Some Copper Alloys, 849.

The Tensile Properties of Some Copper Alloys, 825.

Discussion, 847, 858.

Smith, E. K.

Discussion, 658.

Smith, H. E.

Report of Committee D-1 on Paint, Varnish, Lacquer, and Related Products, 311.

Smith, James, O.

Fatigue and Static Load Tests of a High-Strength Cast Iron at Elevated Temperatures, 797.

Discussion, 810.

Smith, P. J.

Report of Committee E-1 on Methods of Testing, 475.

Soderberg, G.

Report of Committee B-8 on Electrodeposited Metallic Coatings, 222.

Speh, C. F.

Report of Committee D-17 on Naval Stores, 457.

Spooner, Thomas.

Report of Committee A-6 on Magnetic Properties, 124.

Discussion, 796.

Staley, Howard R.

Properties of Limes and Lime Mortars, 975.

Discussion, 986.

Stivers, E. R.

Report of Committee D-10 on Shipping Containers, 421.

Strauss, Jerome.

Report of Committee A-10 on Iron-Chromium, Iron-Chromium-Nickel, and Related Alloys, 128.

Sullivan, J. D.

Report of Committee C-8 on Refractories, 280.

Swartz, C. E.

Report of Committee B-2 on Non-Ferrous Metals and Alloys, 165.

T**Taylor, T. Smith.**

Report of Committee D-9 on Electrical Insulating Materials, 389.

Textor, R. B.

Discussion, 1170.

Discussion published in ASTM BULLETIN, No. 112, October, 1941, p. 33.

Thum, E. E.

Report of Committee B-2 on Non-Ferrous Metals and Alloys, 165.

Todd, F. C.

Studies on the Measurement of Water Vapor in Gases, 1134.

Tour, Sam.

Report of Committee B-3 on Corrosion of Non-Ferrous Metals and Alloys, 169.

Report of Committee B-7 on Light Metals and Alloys, Cast and Wrought, 203.

Townsend, J. R.

Report of Committee B-6 on Die-Cast Metals and Alloys, 199.

Tracy, A. W.

Report of Committee B-3 on Corrosion of Non-Ferrous Metals and Alloys, 169.

Discussion, 880.

Trevithick, H. P.

Report of Committee D-12 on Soaps and Other Detergents, 432.

Trostel, L. J.

Report of Committee C-8 on Refractories, 280.

Troxell, G. E.

The Effect of Capping Methods and End Conditions Before Capping upon the Compressive Strength of Concrete Test Cylinders, 1038.

Discussion, 1052.

Tucker, John, Jr.

Statistical Theory of the Effect of Dimensions and of Method of Loading upon the Modulus of Rupture of Beams, 1072.

Discussion, 1092.

V

- Van Deventer, John H.**
Mobilizing Materials for Defense. Published in ASTM BULLETIN, No. 111, August, 1941, p. 19.
- Vanick, J. S.**
Discussion, 808, 824.
- Van Wagner, R. W.**
The Tensile Properties of Some Copper Alloys, 825.
- Van Zile, B. S.**
Report of Committee D-12 on Soaps and Other Detergents, 432.
- Veitch, F. P.**
Report of Committee D-17 on Naval Stores, 457.
- Vidal, E. N.**
Discussion, 1045.
- von Schrenk, Hermann.**
Report of Committee D-7 on Timber, 378.

W

- Walker, J. H.**
Report of Committee C-16 on Thermal Insulating Materials, 305.
- Walter, L. W.**
Report of Committee C-1 on Cement, 224.
- Warwick, C. L.**
Annual Report of the Executive Committee, 43.
Report of Committee E-9 on Research, 507.
Report of Committee E-10 on Standards, 513.
- Weaver, S. H.**
The Effect of Carbide Spheroidization upon the Creep Strength of Carbon-Molybdenum Steel, 608.
Discussion, 628.
- Weiss, J. M.**
Report of Committee D-8 on Bituminous Waterproofing and Roofing Materials, 379.
- Welch, W. P.**
A New High-Temperature Fatigue Machine, 733.
Discussion, 746.
- Wells, L. S.**
Report of Committee C-11 on Gypsum, 290.

Werley, G. L.

Report of Committee B-6 on Die-Cast Metals and Alloys, 199.

Wescott, Burton W.

A Method for the Testing of Adhesive Tape, 1217.

Weymouth, C. A. G.

Discussion, 1016.

Whirl, S. F.

Experimental Methods of Determining Conductivity Corrections for Dissolved Gases in Steam Condensate, 1277.

Discussion, 1301.

Whitcomb, W. H.

Report of Committee D-13 on Textile Materials, 440.

White, A. E.

Discussion, 628.

Whittemore, J. W.

Report of Committee C-15 on Manufactured Masonry Units, 302.

Wiler, E. M.

A Device for Studying the Workability of Concrete, 1003.

Discussion, 1020.

Wilson, W. A.

A New High-Temperature Fatigue Machine, 733.

Work, Lincoln T.

Methods for Determining Particle Size Distribution. Summary of Proceedings of the Washington Spring Meeting—Symposium on New Methods for Particle Size Determinations in the Subsieve Range, 1341.

Wyman, L. L.

Report of Committee E-4 on Metallography, 502.

Y

Young, E. R.

Report of Committee A-3 on Cast Iron, 85.

Z

Zapata, Joseph

Discussion, 1125.

Zimmerli, F. P.

Discussion, 674.

Zinzow, W. A.

Discussion published in ASTM BULLETIN, No. 112, October, 1941, p. 41.

tals

pe,

on-
ses

te-

red

of

ne,

Dis-
the
um
er-

hy,

.

IN,